

PRODUCT-DETAILS

TMA 225-2250 XT4 4p InN=50%

TMA 225-2250 XT4 4p InN=50%



General Information

Extended Product Type	TMA 225-2250 XT4 4p InN=50%
Product ID	1SDA067479R1
EAN	8015644013714
Catalog Description	TMA 225-2250 XT4 4p InN=50%
Long Description	THERMOMAGNETIC RELEASE FOUR-POLE IN AC-DC TMA R 225 I3=1125...2250 A NEUTRE = 50% FASES XT4

Ordering

EAN	8015644013714
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	162 mm
Product Net Height	92 mm
Product Net Depth / Length	100 mm
Product Net Weight	1 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	162 mm
Package Level 1 Height	92 mm
Package Level 1 Depth / Length	100 mm
Package Level 1 Gross Weight	1.1 kg
Package Level 1 EAN	8015644013714

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Circuit Breaker Type to be Associated	Power Distribution
Configuration Type	Loose or configurable
Current Type	AC/DC
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	ACC
Rated Current (I _n)	225 A
Release	TMA
Release Type	Thermomagnetic
Standards	IEC
Suitable For	XT4
Suitable for Product Class	SACE Tmax XT

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210100D0205 1SDC210099D0205
Instructions and Manuals	1SDH000721R0505

Classifications

ETIM 6	EC001023 - Shunt release (for power circuit breaker)
ETIM 7	EC001023 - Shunt release (for power circuit breaker)
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

