

PRODUCT-DETAILS

# P9MSCX0Z95

## SELECTOR SWITCH P9MSCX0Z95



### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | P9MSCX0Z95                                    |
| Product ID            | 1SFA184482R9006                               |
| EAN                   | 7320500521892                                 |
| Catalog Description   | SELECTOR SWITCH P9MSCX0Z95                    |
| Long Description      | KEY-OPERATED SELECTOR SWITCH 4-POS MAINTAINED |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Finland)     | 2307581       |
| EAN                    | 7320500521892 |
| Minimum Order Quantity | 10 piece      |
| Customs Tariff Number  | 8536501990    |

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 29.7 mm  |
| Product Net Height         | 44.5 mm  |
| Product Net Depth / Length | 68.4 mm  |
| Product Net Weight         | 0.126 kg |

### Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 1 piece   |
| Package Level 1 Width          | 41 mm         |
| Package Level 1 Height         | 41 mm         |
| Package Level 1 Depth / Length | 113 mm        |
| Package Level 1 Gross Weight   | 0.126 kg      |
| Package Level 1 EAN            | 7320500519073 |

## Environmental

|             |  |
|-------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
|-------------|--|

## Additional Information

|                       |                              |
|-----------------------|------------------------------|
| Actuator Type         | Key                          |
| Bezel Material        | Satin Chrome Metal           |
| Color                 | Black/Key=metal              |
| Degree of Protection  | Front IP66                   |
| Function              | Maintained                   |
| Illumination          | Non-illuminated              |
| Key Code              | Key code 95                  |
| Key Removal Positions | A, B, C, D                   |
| Maintained Positions  | A, B, C, D                   |
| Product Main Type     | P9MSC                        |
| Product Name          | Key Operated Selector Switch |
| Sub-Function          | 4-position                   |
| Sub-Function 2        | CAM X                        |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| BV Certificate                    | 2CMT2019-005867 |
| CB Certificate                    | 2CMT2019-005872 |
| CSA Certificate                   | 2CMT2019-005868 |
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Declaration of Conformity - CE    | 2CMT2019-005862 |
| DNV GL Certificate                | 2CMT2019-005876 |
| Instructions and Manuals          | 1SFC151011M0201 |
| RINA Certificate                  | 2CMT2019-005866 |
| RoHS Information                  | 2CMT2019-005862 |
| UL Certificate                    | 2CMT2019-005868 |

## Classifications

|               |  |
|---------------|--|
| ETIM 7        | EC000222 - Front element for selector switch               |
| UNSPSC        | 39121500   |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass        | V11.0 : 27371213   |

---

## Categories

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M

