

PRODUCT-DETAILS

# M3SS2-10B

## M3SS2-10B Selector Switch



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | M3SS2-10B  |
| Product ID            | 1SFA611211R1006  |
| EAN                   | 7320500294581  |
| Catalog Description   | M3SS2-10B Selector Switch  |
| Long Description      | Modular Selector Switch - 3-Pos Momentary, spring return from A and C to B - Short handle - Black - Non-illuminated - Black plastic - No contact block |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Finland)     | 2338241       |
| E-Number (Norway)      | 4372346       |
| E-Number (Sweden)      | 3715735       |
| EAN                    | 7320500294581 |
| Minimum Order Quantity | 10 piece      |
| Customs Tariff Number  | 8536501999    |

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.048 m  |
| Product Net Height         | 0.03 m   |
| Product Net Depth / Length | 0.05 m   |
| Product Net Weight         | 0.024 kg |

---

**Container Information**


---

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | bag 1 piece   |
| Package Level 1 Width          | 0.11 m        |
| Package Level 1 Height         | 0.03 m        |
| Package Level 1 Depth / Length | 0.15 m        |
| Package Level 1 Gross Weight   | 0.024 kg      |
| Package Level 1 EAN            | 7320500294581 |

---



---

**Environmental**


---

|             |  |
|-------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
|-------------|--|

---



---

**Additional Information**


---

|                       |                      |
|-----------------------|----------------------|
| Actuator Type         | Short handle         |
| Bezel Material        | Black Plastic        |
| Block                 | No contact block     |
| Color                 | Black                |
| Degree of Protection  | Front IP66           |
| Function              | Momentary            |
| Illumination          | Non-illuminated      |
| Mechanical Durability | 0.5 million          |
| Mounting Position     | Horizontally mounted |
| Product Main Type     | M3SS2                |
| Product Name          | Selector Switch      |
| Product Range         | Modular              |
| Product Type          | M3SS                 |
| RoHS Date             | 0635 4               |
| Spring Return From    | A and C to B         |
| Sub-Function          | 3-position           |

---



---

**Certificates and Declarations (Document Number)**


---

|                                   |                 |
|-----------------------------------|-----------------|
| cULus Certificate                 | 9AKK107046A9925 |
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Declaration of Conformity - CE    | 2CMT2015-005452 |
| DNV GL Certificate                | E-14107         |
| Environmental Information         | 1SFC151010D0201 |
| Instructions and Manuals          | 1SFC151011M0201 |
| RoHS Information                  | 2CMT2015-005452 |

---



---

**Classifications**


---

|                            |  |
|----------------------------|--|
| ETIM 4                     | EC002024 - Accessories for control circuit devices |
| ETIM 5                     | EC000222 - Front element for selector switch       |
| ETIM 6                     | EC000222 - Front element for selector switch       |
| ETIM 7                     | EC000222 - Front element for selector switch       |
| Object Classification Code | S  |

---

|               |                           |
|---------------|---------------------------|
| UNSPSC        | 39121500                  |
| WEEE Category | Product Not in WEEE Scope |
| eClass        | V11.0 : 27371213          |

---

## Categories

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range

