

PRODUCT-DETAILS

# M2SSK2-301

## M2SSK2-301 Selector Switch



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | M2SSK2-301   |
| Product ID            | 1SFA611281R3001  |
| EAN                   | 7320500313848  |
| Catalog Description   | M2SSK2-301 Selector Switch   |
| Long Description      | Modular Selector Switch - 2-Pos Maintained - Key - Black/Key - Non-illuminated - Chrome metal - No contact block |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 7320500313848 |
| Minimum Order Quantity | 10 piece      |
| Customs Tariff Number  | 8536501999    |

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.03 m   |
| Product Net Height         | 0.03 m   |
| Product Net Depth / Length | 0.063 m  |
| Product Net Weight         | 0.042 kg |

### Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | bag 1 piece   |
| Package Level 1 Width          | 0.11 m        |
| Package Level 1 Height         | 0.03 m        |
| Package Level 1 Depth / Length | 0.15 m        |
| Package Level 1 Gross Weight   | 0.042 kg      |
| Package Level 1 EAN            | 7320500313848 |

## Environmental

|                         |  |
|-------------------------|--|
| Ambient Air Temperature | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C                     |
| RoHS Status             | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

## Additional Information

|                       |                        |
|-----------------------|------------------------|
| Actuator Type         | Key                    |
| Bezel Material        | Chrome Metal           |
| Block                 | No contact block       |
| Color                 | Black/Key              |
| Degree of Protection  | Front IP66             |
| Function              | Maintained             |
| Illumination          | Non-illuminated        |
| Key Code              | Ronis 455, Key code 71 |
| Key Removal Positions | Position B Only        |
| Maintained Positions  | B, C                   |
| Mechanical Durability | 0.5 million            |
| Mounting Position     | Horizontally mounted   |
| Product Main Type     | M2SSK2                 |
| Product Name          | Selector Switch        |
| Product Range         | Modular                |
| Product Type          | M2SSK                  |
| RoHS Date             | 0635 4                 |
| Sub-Function          | 2-position             |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| cULus Certificate                 | 9AKK107046A9925 |
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Declaration of Conformity - CE    | 2CMT2015-005452 |
| DNV GL Certificate                | E-14107         |
| Environmental Information         | 1SFC151010D0201 |
| Instructions and Manuals          | 1SFC151011M0201 |
| RoHS Information                  | 2CMT2015-005452 |

## Classifications

|                       |  |
|-----------------------|--|
| ETIM 4                | EC002024 - Accessories for control circuit devices |
| ETIM 5                | EC000222 - Front element for selector switch       |
| ETIM 6                | EC000222 - Front element for selector switch       |
| ETIM 7                | EC000222 - Front element for selector switch       |
| Object Classification | S  |

|               |                           |
|---------------|---------------------------|
| Code          |                           |
| UNSPSC        | 39121500                  |
| WEEE Category | Product Not in WEEE Scope |
| eClass        | V11.0 : 27371213          |

---

## Categories

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range

