

PRODUCT-DETAILS

KSB-307R

KSB-307R Signal Beacon



General Information

Extended Product Type	KSB-307R
Product ID	1SFA616080R3071
EAN	7320500202883
Catalog Description	KSB-307R Signal Beacon
Long Description	KSB-307R Light Element LED Red Rotating light

Ordering

E-Number (Finland)	2313611
E-Number (Sweden)	5378448
EAN	7320500202883
Minimum Order Quantity	1 piece
Customs Tariff Number	85369001

Dimensions

Product Net Width	0.075 m
Product Net Height	0.075 m
Product Net Depth / Length	0.097 m
Product Net Weight	0.14 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.075 m
Package Level 1 Depth / Length	0.08 m
Package Level 1 Gross Weight	0.14 kg
Package Level 1 EAN	7320500202883

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Accessory Type	Signal towers and beacons
Color	Red
Degree of Protection	Front IP65
Function	Rotating light
Lamp Type	LED
Product Main Type	KSB
Product Name	Signal Beacon
Product Range	Not applicable
Product Type	KSB
Rated Control Supply Voltage (U _s)	24 V AC/DC
Rated Frequency (f)	50 / 60 Hz
Rated Operational Voltage	24 V AC/DC
RoHS Date	06.01.01
Upper Button Text	LED-RUNDUMLEUCHTE KSB-307R ROT 24V AC / DC

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2015-005456
Environmental Information	1SFC151006D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005456

Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC002024 - Accessories for control circuit devices
ETIM 6	EC001042 - Signal tower complete
ETIM 7	EC001334 - Continuous luminaire
Object Classification Code	P
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27143210

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Signal Towers and Beacons

