

PRODUCT-DETAILS

# 1SL0832A00

Rectangular; IP44-IP55-IP65 junction boxes in thermoplastic material



## General Information

Product ID	1SL0832A00
EAN	8000126233759
Catalog Description	Rectangular; IP44-IP55-IP65 junction boxes in thermoplastic material
Long Description	IP55-CABLE GL-HIGH LID-220X170X150-1/4TS - GWT 650°C

## Ordering

E-Number (Finland)	3411022
EAN	8000126233759
Minimum Order Quantity	1 piece
Customs Tariff Number	85371098

## Dimensions

Product Net Width	220 mm
Product Net Height	170 mm
Product Net Length	220 mm
Product Net Depth / Length	150 mm
Product Net Weight	0.893 kg

## Container Information

Package Level 1 Units	8 piece
Package Level 1 Width	0.59 m
Package Level 1 Height	0.35 m
Package Level 1 Depth / Length	0.4 m
Package Level 1 Gross Weight	7.15 kg
Package Level 1 EAN	8000126233773

### Additional Information

Color	grey
Degree of Protection	IP55
Enclosure Material	thermoplastic
Glow Wire Test	650 °C
Material	Plastic
Mounting Type	Wall-mounting
Order Multiple	8 piece
Product Main Type	Watertight Boxes
Product Name	Watertight Boxes
Protection Class	Isolated
Rated Insulation Voltage (U <sub>i</sub> )	1500 V
Shape	Rectangular
Suitable For	IP44-IP55-IP65 junction boxes in thermoplastic material
Surface Finishing	Untreated
Tube Diameter	32 mm

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SLC001001D0905
Declaration of Conformity - CE	1SLT100031D0200
Environmental Information	1SLC001001D0905
Instructions and Manuals	not applicable
RoHS Information	1SLT00014R4E0

### Classifications

ETIM 4	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 5	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 6	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 7	EC002600 - Box/housing for surface mounting on the wall/ceiling
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

### Categories

Low Voltage Products and Systems → Enclosures → Junction Boxes (Installation Material) → Wall Mounting

