


RSX LOETST. LP**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Similar to illustration**

Axial components such as resistors, diodes and capacitors, can be soldered into the RSX component modules.

Depending on the version, up to eight components can be soldered into our RSX modules.

General ordering data

Version	Assembly modul, Number of signals: 5
Order No.	0329761001
Type	RSX LOETST. LP
GTIN (EAN)	4032248043729
Qty.	5 pc(s).

RSX LOETST. LP

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	36.35 g
------------	---------

General data

Rail	TS 32, TS 35	Type of connection	Screw connection
------	--------------	--------------------	------------------

Connection data

Type of connection	Screw connection
--------------------	------------------

Classifications

ETIM 6.0	EC002780	ETIM 7.0	EC002780
ECLASS 9.0	27-14-11-52	ECLASS 9.1	27-14-11-52
ECLASS 10.0	27-14-11-52	ECLASS 11.0	27-14-11-52

Approvals

Approvals



ROHS	Conform
UL File Number Search	E141197

Downloads

Approval/Certificate/Document of Conformity	Declaration of Conformity
Engineering Data	WSCAD
Product Change Notification	20200929 Technical change to RSX LOETST. LP, RSD and RSD AK families

RSX LOETST. LP

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings
