Weidmüller ϽE

KSWN M50

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

General ordering data

Version	KSWN (flat gasket - nylon), Sealing ring, M 50, Nylon 6
Order No.	0900660000
Type	KSWN M50
GTIN (EAN)	4032248850105
Qty.	25 pc(s).

Creation date March 22, 2021 11:52:00 AM CET

KSWN M50

Technical data

Dimensions and weights

Net weight	2.12 g

General information

Diameter of sealing ring	65 mm	External thread	M 50
Inside diameter D2	50.5 mm	Material	Nylon 6
Operating temperature range, max.	135 °C	Operating temperature range, min.	-40 °C
Pitch of thread	1.5 mm	Thickness	2 mm

Classifications

ETIM 6.0	EC001181	ETIM 7.0	EC001181
ECLASS 9.0	27-43-03-19	ECLASS 9.1	27-14-44-90
ECLASS 10.0	27-43-03-19	ECLASS 11.0	27-43-03-19

Approvals

ROHS	Conform

Downloads

Engineering Data	STEP
Engineering Data	EPLAN, WSCAD

Creation date March 22, 2021 11:52:00 AM CET

KSWN M50

Drawings

Creation date March 22, 2021 11:52:00 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

3