

**KSP L90 S****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Similar to illustration**

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

**General ordering data**

|            |                                                |
|------------|------------------------------------------------|
| Version    | KSP (Klippon shroud), Protective cap, Silicone |
| Order No.  | <a href="#">0930700008</a>                     |
| Type       | KSP L90 S                                      |
| GTIN (EAN) | 4032248976034                                  |
| Qty.       | 10 pc(s).                                      |

**KSP L90 S****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|            |         |                 |            |
|------------|---------|-----------------|------------|
| Length     | 165 mm  | Length (inches) | 6.496 inch |
| Net weight | 113.7 g |                 |            |

**General information**

|                                   |        |                                   |          |
|-----------------------------------|--------|-----------------------------------|----------|
| Gap, internal dimension B         | 95 mm  | Hardness (IRHD)                   | 60       |
| Inside diameter D2                | 90 mm  | Material                          | Silicone |
| O.D.                              | 94 mm  | Operating temperature range, max. | 200 °C   |
| Operating temperature range, min. | -60 °C | Thickness                         | 2 mm     |

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000441    | ETIM 7.0    | EC000441    |
| ECLASS 9.0  | 27-14-44-32 | ECLASS 9.1  | 27-14-44-90 |
| ECLASS 10.0 | 27-14-44-32 | ECLASS 11.0 | 27-14-44-32 |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|                  |                              |
|------------------|------------------------------|
| Engineering Data | <a href="#">STEP</a>         |
| Engineering Data | <a href="#">EPLAN, WSCAD</a> |

## KSP L90 S

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

