

TCN 4TR POCON 8**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Compact interface system for test-disconnect terminals**

Safe checking and testing of protective relays,
measurement devices and counters

POCON as a universal test-disconnect terminal system
supports
a wide range of measurement situations optimally. The
innovative interface system includes
functions such as automatic short-circuiting or slitting.
An innovative module has been developed in close
collaboration with our customers which
covers a wide range of applications.

General ordering data

Order No.	1052080000
Type	TCN 4TR POCON 8
GTIN (EAN)	4032248822416
Qty.	5 pc(s).

TCN 4TR POCON 8

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	154.28 g
------------	----------

Temperatures

Storage temperature	-25 °C...55 °C	Operating temperature	-40 °C.../TX]55 °C
---------------------	----------------	-----------------------	--------------------

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Additional technical data

Type of mounting	Section, Rail
------------------	---------------

Conductors for clamping (rated connection)

Connection cross-section, stranded, max.	10 mm ²	Connection cross-section, stranded, min.	1.5 mm ²
Wire connection cross section, finely stranded, max.	10 mm ²		

Rating data

Pollution severity	3
--------------------	---

Classifications

ETIM 6.0	EC002255	ETIM 7.0	EC002255
ECLASS 9.0	27-44-03-13	ECLASS 9.1	27-44-03-13
ECLASS 10.0	27-44-03-13	ECLASS 11.0	27-44-03-13

Approvals

Approvals



ROHS	Conform
------	---------

TCN 4TR POCON 8

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Application

