

**IE-BSC-V14M-SCRJ-MM-C****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

PushPull plug-in connector set according to IEC  
61076-3-117 ver.14 (PROFINET), metal incl. SC insert

**General ordering data**

|            |                                                                                       |
|------------|---------------------------------------------------------------------------------------|
| Version    | Flange FO, IP67, Variant 14 central cable gland, SCRJ Duplex coupling, Multimode, POF |
| Order No.  | <a href="#">1062590000</a>                                                            |
| Type       | IE-BSC-V14M-SCRJ-MM-C                                                                 |
| GTIN (EAN) | 4032248813100                                                                         |
| Qty.       | 10 pc(s).                                                                             |

## IE-BSC-V14M-SCRJ-MM-C

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|                |            |                 |            |
|----------------|------------|-----------------|------------|
| Depth          | 36.15 mm   | Depth (inches)  | 1.423 inch |
| Height         | 39.6 mm    | Height (inches) | 1.559 inch |
| Net weight     | 55.72 g    | Width           | 39.6 mm    |
| Width (inches) | 1.559 inch |                 |            |

## Temperatures

|                       |                |
|-----------------------|----------------|
| Operating temperature | -40 °C...70 °C |
|-----------------------|----------------|

## Environmental Product Compliance

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

## General data

|                   |                |                           |                                                      |
|-------------------|----------------|---------------------------|------------------------------------------------------|
| Colour            | Miscellaneous  | Connection 1              | SCRJ                                                 |
| Connection 2      |                | Description of article    | Variant 14 central cable gland, SCRJ Duplex coupling |
|                   | SCRJ           |                           |                                                      |
| Fibre type        | Multimode, POF | Housing main material     | Zinc diecast                                         |
| Insertion loss    | ≤ 0.4 dB       | Plugging cycles           | 500                                                  |
| Protection degree | IP67           | Return loss (attenuation) | ≥ 30 dB                                              |

## General standards

|                         |         |                    |                                       |
|-------------------------|---------|--------------------|---------------------------------------|
| Certificate no. (cULus) | E316369 | Connector standard | IEC 61076-3-117 Var. 14, IEC 61754-24 |
|-------------------------|---------|--------------------|---------------------------------------|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001122    | ETIM 7.0    | EC001122    |
| ECLASS 9.0  | 19-17-01-22 | ECLASS 9.1  | 19-17-01-22 |
| ECLASS 10.0 | 19-17-01-22 | ECLASS 11.0 | 19-17-01-22 |

## Approvals

Approvals



|                       |         |
|-----------------------|---------|
| ROHS                  | Conform |
| UL File Number Search | E316369 |

## Downloads

|                                             |                                                                                                                  |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Approval/Certificate/Document of Conformity | <a href="#">PROFINET Manufacturer's Declaration</a>                                                              |
| Engineering Data                            | <a href="#">STEP</a>                                                                                             |
| Engineering Data                            | <a href="#">WCSAD</a>                                                                                            |
| User Documentation                          | <a href="#">MAN IE GUIDE DE</a><br><a href="#">MAN IE GUIDE EN</a><br><a href="#">Designation key / Type key</a> |

Creation date March 22, 2021 10:02:31 PM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

## IE-BSC-V14M-SCRJ-MM-C

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

### Installation cut-out

