

IE-PS-V14M-HYB-10P**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

PushPull plug-in connector set according to IEC
61076-3-117 ver.14 (PROFINET), metal incl. hybrid insert

General ordering data

Version	Hybrid plug, Cat.5 (ISO/IEC 11801)
Order No.	1072910000
Type	IE-PS-V14M-HYB-10P
GTIN (EAN)	4032248831128
Qty.	10 pc(s).

IE-PS-V14M-HYB-10P**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Net weight 9 g

Temperatures

Operating temperature -40 °C...70 °C

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

General data

Category	Cat.5 (ISO/IEC 11801)	Connection 1	Hybrid (Q10)
Connection 2	Crimp	Housing main material	Zinc diecast
Insulation cross-section, max.	1.05 mm	Insulation cross-section, min.	0.85 mm
Plugging cycles	500	Protection degree	IP67
Sheath diameter, max.	10 mm	Sheath diameter, min.	5 mm
Shielding	360° all-round enclosure	Wire connection cross section, finely stranded, max.	0.75 mm ²
Wire connection cross section, finely stranded, min.	0.08 mm ²	Wire cross-section, finely stranded, max. (AWG)	AWG 20
Wire cross-section, finely stranded, min. (AWG)	AWG 27		

Electrical properties

Rated current 3 A per contact Volume resistance <10 mΩ

General standards

Certificate no. (cULus) E316369 Connector standard IEC 61076-3-119 CDV, IEC 61076-3-117 Var. 14

Classifications

ETIM 6.0	EC001121	ETIM 7.0	EC001121
ECLASS 9.0	27-44-03-90	ECLASS 9.1	27-44-09-90
ECLASS 10.0	27-44-03-90	ECLASS 11.0	27-44-03-90

Approvals

Approvals

ROHS Conform
UL File Number Search E316369

IE-PS-V14M-HYB-10P

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Downloads

Approval/Certificate/Document of Conformity	PROFINET Manufacturer's Declaration
Engineering Data	STEP
Engineering Data	WSCAD
User Documentation	MAN IE GUIDE DE
	MAN IE GUIDE EN
	Manual
	Designation key / Type key

IE-PS-V14M-HYB-10P

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Dimensioned drawing

