

CTF 63 ZERT**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Crimping tools for flat blade connectors and flat blade receptacles with open or rolled crimping claw**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With end stop for exact positioning of the contacts

General ordering data

Version	Pressing tool, Crimping tool for contacts, 0.5mm ² , 6mm ² , B-Crimp
Order No.	1077010000
Type	CTF 63 ZERT
GTIN (EAN)	4032248864386
Qty.	1 pc(s).

CTF 63 ZERT

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	674.2 g	Weight	730 g
Width	250 mm	Width (inches)	9.842 inch

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Technical data

Description of article	Crimping tools for flat-blade connectors and flat-blade receptacles, connector width 6.3 mm
------------------------	---

Description of contact

Conductor cross-section, max. AWG	AWG 10	Conductor cross-section, min. AWG	AWG 21
Crimping range, max.	6 mm ²	Crimping range, min.	0.5 mm ²
Plug width	6.3 mm	Type of contact	F-plug / -sleeve

tool data crimping

Crimping profile 1, max.	1 mm ²	Crimping profile 1, min.	0.5 mm ²
Crimping profile 2, max.	2.5 mm ²	Crimping profile 2, min.	1.5 mm ²
Crimping profile 3, max.	6 mm ²	Crimping profile 3, min.	2.6 mm ²
Crimping type/profile	B-Crimp		

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ECLASS 9.0	21-04-38-11	ECLASS 9.1	21-04-38-11
ECLASS 10.0	21-04-38-11	ECLASS 11.0	21-04-38-11

Approvals

Approvals



Downloads

User Documentation	Manual
--------------------	------------------------

CTF 63 ZERT

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Drawings

