

### **RSM 8RS 230VAC LP**

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

### **Product image**













Similar to illustration

Relay bases (RSM) with common positive and negative to be connected to PLC or other type of controllers. The interfaces are made up of groups of 4, 8 or 16 RCL relays (12.7 mm) or RSS (6.1 mm). The connection to the controller can be set up using pluggable connectors or using direct cabling with IEC 60603-13 connectors. Wide range of options:

- 1 or 2 CO contacts with 16/8/6 A relays
- Voltages from 5 to 230 V
- Screw, tension clamp or PUSH IN connection
- Compatible with Weidmüller's solid-state relays

The range of relays provides galvanic isolation between input/output as well as between the adjacent contacts on the relays. This enables the various voltages in the controllers and those required by the various field elements to be safely adapted.

#### General ordering data

Version	RSM-Series, Relay module, Number of contacts: 8, CO contact AgNi 90/10, Rated control voltage: 230 V AC, Continuous current: 3 A, Screw connection
Order No.	1114961001
Туре	RSM 8RS 230VAC LP
GTIN (EAN)	4032248047857
Qty.	1 pc(s).



## **RSM 8RS 230VAC LP**

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

-			
Dim	ensions	and	weights

Depth	76 mm	Depth (inches)	2.992 inch
Height	87 mm	Height (inches)	3.425 inch
Net weight	361 g	Width	145 mm
Width (inches)	5.709 inch		

### **Temperatures**

Storage temperature	-40 °C60 °C	Operating temperature	-25 °C50 °C
Humidity	40 °C / 93 % rel. humidity,		
	no condensation		

## **Rating data**

Mechanical service life	30 x 10 <sup>6</sup> switching cycles	Switch-on delay	≤ 10 ms	
Switch-off delay	≤ 10 ms. = 10 ms			

#### **Ratings data input**

Power rating	1.2 VA	

### Classifications

ETIM 6.0	EC001437	ETIM 7.0	EC001437
ECLASS 9.0	27-37-16-01	ECLASS 9.1	27-37-16-01
ECLASS 10.0	27-37-16-01	ECLASS 11.0	27-37-16-01

#### **Approvals**

Approvals



onform
)

#### **Downloads**

Conformity <u>D</u>	Declaration of Conformity
Engineering Data Ef	PLAN, WSCAD