


**AP MCZ1.5 GN 1670****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Open miniature housing in modular terminal format with five tension clamp connections. A transparent hinged top plate can be used for labelling and provides access to potentiometer and status displays. Plug-in cross-connectors can be used to interconnect the three top connections. A cover plate for closing off the housing is also available.

**General ordering data**

|            |                                                                               |
|------------|-------------------------------------------------------------------------------|
| Version    | Small housing, OMNIMATE Housing - TERMINALBOX green, End plate, Width: 1.5 mm |
| Order No.  | <a href="#">1161290000</a>                                                    |
| Type       | AP MCZ1.5 GN 1670                                                             |
| GTIN (EAN) | 4032248950355                                                                 |
| Qty.       | 50 pc(s).                                                                     |

**AP MCZ1.5 GN 1670****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|                |            |                 |            |
|----------------|------------|-----------------|------------|
| Height         | 55.85 mm   | Height (inches) | 2.199 inch |
| Length         | 91 mm      | Length (inches) | 3.583 inch |
| Net weight     | 5.972 g    | Width           | 1.5 mm     |
| Width (inches) | 0.059 inch |                 |            |

**General data**

|                      |       |                        |          |
|----------------------|-------|------------------------|----------|
| Colour               | green | Colour chart (similar) | RAL 6032 |
| Encapsulation option | Yes   | Protection degree      | IP20     |

**Material data**

|                                  |       |                           |   |
|----------------------------------|-------|---------------------------|---|
| Comparative Tracking Index (CTI) | ≥ 600 | Insulating material group | I |
|----------------------------------|-------|---------------------------|---|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000886    | ETIM 7.0    | EC000886    |
| ECLASS 9.1  | 27-14-11-33 | ECLASS 10.0 | 27-14-11-33 |
| ECLASS 11.0 | 27-14-11-33 |             |             |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|                  |                      |
|------------------|----------------------|
| Engineering Data | <a href="#">STEP</a> |
|------------------|----------------------|

### AP MCZ1.5 GN 1670

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

### Similar to illustration

