

RIM 5 6/230VAC**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Product image

Pluggable protective modules for the D-SERIES relay sockets, with optional protective functions.

- With free-wheeling diode or RC filter

General ordering data

Version	D-SERIES, RC filter, Rated control voltage: 6...230 V AC, Plug-in connection
Order No.	1174670000
Type	RIM 5 6/230VAC
GTIN (EAN)	4032248971312
Qty.	10 pc(s).

Creation date March 23, 2021 7:41:10 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

RIM 5 6/230VAC**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Depth	44 mm	Depth (inches)	1.732 inch
Height	10 mm	Height (inches)	0.394 inch
Net weight	5.7 g	Width	35 mm
Width (inches)	1.378 inch		

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Control side

Protective circuit	RC element	RC filter	4.7 kΩ / 10 nF
Rated control voltage	6...230 V AC	Status indicator	No

General data

Colour	black		
UL94 flammability rating component	Component	Housing	
	UL94 flammability rating	V-2	

Connection data

Wire connection method Plug-in connection

Classifications

ETIM 6.0	EC002586	ETIM 7.0	EC002586
ECLASS 9.1	27-37-10-10	ECLASS 10.0	27-37-10-10
ECLASS 11.0	27-37-16-92		

Approvals

Approvals



ROHS Conform


Downloads

Engineering Data	STEP
Engineering Data	EPLAN_WSCAD

RIM 5 6/230VAC

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings**Wiring diagram****Dimensional drawing**