

KIT KLTR 2TR TSBF POCON**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Compact interface system for test-disconnect terminals**

Safe checking and testing of protective relays,
measurement devices and counters

POCON as a universal test-disconnect terminal system supports a wide range of measurement situations optimally. The innovative interface system includes functions such as automatic short-circuiting or slitting. An innovative module has been developed in close collaboration with our customers which covers a wide range of applications.

General ordering data

Order No.	1189230000
Type	KIT KLTR 2TR TSBF POCON
GTIN (EAN)	4050118051568
Qty.	5 pc(s).

KIT KLTR 2TR TSBF POCON

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	123.26 g
------------	----------

Temperatures

Storage temperature	-25 °C...55 °C	Operating temperature	-40 °C.../TX]55 °C
---------------------	----------------	-----------------------	--------------------

Additional technical data

Type of mounting	Rail
------------------	------

Conductors for clamping (rated connection)

Connection cross-section, stranded, max.	10 mm ²	Connection cross-section, stranded, min.	1.5 mm ²
Wire connection cross section, finely stranded, max.	10 mm ²		

Rating data

Pollution severity	3
--------------------	---

Classifications

ETIM 6.0	EC001284	ETIM 7.0	EC001284
ECLASS 9.0	27-14-11-06	ECLASS 9.1	27-14-11-06
ECLASS 10.0	27-14-11-06	ECLASS 11.0	27-14-11-06

Approvals

Approvals



ROHS	Conform
------	---------

Downloads

Approval/Certificate/Document of Conformity	EAC certificate
---	---------------------------------

KIT KLTR 2TR TSBF POCON

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

