

## PRODUCT-DETAILS

# 120M12-A-90

## 1HL LUG 90DEG 120MM2 M12 CL A PNK



### General Information

|                       |                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 120M12-A-90                                                                                                               |
| Product ID            | 7TAA302040R0018                                                                                                           |
| EAN                   | 5415022199192                                                                                                             |
| Catalog Description   | 1HL LUG 90DEG 120MM2 M12 CL A PNK                                                                                         |
| Long Description      | Metric Lug, Copper, Electro-Tin Plating Finish, Class A, Cable Size 120mm Squared, Bolt Size M12, 90 Degree, Pink, 1 Hole |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5415022199192 |
|-----|---------------|

### Dimensions

|                    |       |
|--------------------|-------|
| Product Net Length | 0, mm |
|--------------------|-------|

### Container Information

|                         |                |
|-------------------------|----------------|
| Package Level 1 Units   | 10 piece       |
| Package Level 1 Width   | 3 in<br>76 mm  |
| Package Level 1 Height  | 4 in<br>102 mm |
| Package Level 1 Depth / | 4 in           |

|                                |                   |
|--------------------------------|-------------------|
| Length                         | 102 mm            |
| Package Level 2 Units          | 100 piece         |
| Package Level 2 Width          | 8.5 in<br>216 mm  |
| Package Level 2 Height         | 3.43 in<br>87 mm  |
| Package Level 2 Depth / Length | 21.5 in<br>546 mm |

## Additional Information

|                     |                                         |
|---------------------|-----------------------------------------|
| Brand / Label       | Spec-Kon                                |
| Cable Size          | 120 mm <sup>2</sup>                     |
| Color               | Pink                                    |
| Effective Date      | 20131204                                |
| Insulation Material | None                                    |
| Material            | Copper                                  |
| Number of Batteries | 0                                       |
| Product Name        | ELECTRICAL TERMINAL                     |
| Product Type        | Metric Standard Barrel - 90 Degree Bend |
| Stud Size           | M12                                     |
| UPC                 | 786209808202                            |
| Voltage Rating      | 35 kV                                   |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 120M12-A-90     |
| Declaration of Conformity - CE    | 9AKK107492A9834 |
| Instructions and Manuals          | 120M12-A-90     |

## Classifications

|                                    |                                                 |
|------------------------------------|-------------------------------------------------|
| ETIM 6                             | EC001051 - Tube cable lug for copper conductors |
| ETIM 7                             | EC001051 - Tube cable lug for copper conductors |
| UNSPSC                             | 39121405                                        |
| WEEE Category                      | Product Not in WEEE Scope                       |
| IDEA Granular Category Code (IGCC) | 4532 >> Cable or wire lug                       |

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

