

**IE-FPOZ2EE-MW**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com



Bulk stock, FO cable, POF

**General ordering data**

Version	Connecting line, ZIPCORD, 980 µm, Products sold by meter, from 50 m
Order No.	<a href="#">1242820000</a>
Type	IE-FPOZ2EE-MW
GTIN (EAN)	4050118031058
Qty.	1 m
Delivery status	<b>This article will no longer be available in the future.</b>
Available until	2021-02-28

Creation date March 23, 2021 12:05:43 PM CET

## IE-FPOZ2EE-MW

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

Net weight	8 g
------------	-----

## Temperatures

Storage temperature	-55 °C...85 °C	Operating temperature	-55 °C...85 °C
Installation temperature	-5 °C...50 °C		

## Technical specifications for cable

Bending cycles	10.000	Halogen	No
Insulation	PE	Number of wires	2
Sheathing colour	black		

## Cable structure

Cable layout	ZIPCORD	Core diameter	980 µm
Insulation	PE	Number of wires	2
Sheath diameter	2.2*4.5 mm	Sheathing colour	black

## Mechanical and material properties of cable

Bending cycles	10.000	Halogen	No
Min. bending radius, once only	25 mm	Min. bending radius, repetitive	25 mm
Pulling force	≤ 160 N		

## Classifications

ETIM 6.0	EC000034	ETIM 7.0	EC000034
ECLASS 9.0	27-06-18-03	ECLASS 9.1	27-06-90-90
ECLASS 10.0	27-06-18-03	ECLASS 11.0	27-06-18-03

## Downloads

User Documentation	<a href="#">MAN IE GUIDE DE</a> <a href="#">MAN IE GUIDE EN</a>
--------------------	--

**IE-FPOZ2EE-MW**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Detailed drawing**

