

PRODUCT-DETAILS

13100A

14 TON HYD HEAD 10,000 PSI MAX PRES



Общая информация

Тип расширенного изделия	13100A
Идентификационный номер изделия	7TAA131620R0000
Европейский товарный код (EAN)	5414363110316
Описание в каталоге	14 TON HYD HEAD 10,000 PSI MAX PRES
Длинное описание	Remote 14 Ton Hydraulic Head - 10,000-psi Maximum Hydraulic Operating Pressure, Weighs 10 pounds

Ordering

Европейский товарный код (EAN)	5414363110316
--------------------------------	---------------

Dimensions

Чистый вес изделия	21.2 lb
	9.615 kg

Container Information

Package Level 2 Units	1 штука
Package Level 2 Width	8 in

	203 mm
Package Level 2 Height	8 in
	203 mm
Package Level 2 Depth /	15 in
Length	381 mm

Additional Information

Применение	Up to 900 kcmil copper lugs & splices, Up to 750 kcmil aluminum lugs & splices, CHT814-10 to CHT2502-6 copper H-Taps, 63105 to 63148 aluminum H-Taps, 54755 to 54775 C-Taps
Торговая марка/ярлык	Application Tooling
Number of Batteries	0
Название изделия	HYDRAULIC HEAD
Тип изделия	Power Assisted Compression Tools
Специальные функции	Installs copper through 900 kcmil and aluminum through 750 kcmil. Installs copper C-taps # 54755 through # 54775 and aluminum taps through # 63150. Uses standard T&B Color-Keyed 15500 series dies. Includes carrying case.
Универсальный код товара (UPC)	786210787312

Certificates and Declarations (Document Number)

Технические данные	13100A
Инструкции и руководства	13100A

Classifications

ETIM 6	EC000168 - Crimp tool cable lugs, cable end sleeves, screen connection
ETIM 7	EC000168 - Crimp tool cable lugs, cable end sleeves, screen connection
Универсальная стандартная классификация товаров и услуг (UNSPSC)	27111518
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	1967 >> Wire lug crimping tool

Категории

Низковольтное оборудование → Системы прокладки и защиты кабелей → Wire Management and Connectivity → WMC Tools

