

HDC HP550 KIT 3F95 C1**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

The RockStar[®] HighPower housings are manufactured from high-strength die-cast aluminium and offer perfect protection against harsh environmental conditions thanks to continual optimisation. The multi-part housing gives users the opportunity to examine work processes down to the last step in the workflow.

General ordering data

Order No.	1332390000
Type	HDC HP550 KIT 3F95 C1
GTIN (EAN)	4050118136272
Qty.	1 pc(s).

HDC HP550 KIT 3F95 C1

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Height	270.5 mm	Height (inches)	10.65 inch
Length	244 mm	Length (inches)	9.606 inch
Mounting dimension - height	170 mm	Mounting dimension - width	210 mm
Net weight	3,750 g	Width	84.5 mm
Width (inches)	3.327 inch		

Temperatures

Limit temperature	-50 °C ... 120 °C
-------------------	-------------------

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

General data

Number of poles	3	Rated current (DIN EN 61984)	550 A
Rated voltage (DIN EN 61984)	4,000 V	Series	HighPower

Version

Conductor cross-section, max.	95 mm ²	Stripping length, rated connection	30 mm
Surface finish	Powder coating	Type of connection	Crimp contact

Classifications

ETIM 6.0	EC002641	ETIM 7.0	EC002641
ECLASS 9.0	27-44-03-06	ECLASS 9.1	27-44-01-90
ECLASS 10.0	27-44-03-06	ECLASS 11.0	27-44-03-06

Approvals

Approvals



ROHS	Conform
------	---------

Downloads

Engineering Data	STEP
Engineering Data	EPLAN
User Documentation	1487780000_00_11_13_BPZ_HDC_HP250-550_web.pdf

HDC HP550 KIT 3F95 C1

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

