

## TM-I 12/18 MC NE RT

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)



TM-I is an acknowledged and accredited marker type for traffic engineering applications. There are various different tag lengths available for individual labelling with long character strings. Easy handling of separation and installation thanks to the project marker field. Pre-attachment of sleeves and retrofitting of tags offer excellent versatility.

The special contour of TM-I allows easy assembly and secures firm positioning. They are compatible with a number of commercially available sleeves. Thanks to the MultiCard format, the tags can be printed quickly and conveniently with the PrintJet CONNECT, plotter or the STI pen.

- Easy handling of separation and installation thanks to the project marker field.
- Acknowledged and accredited marker for traffic engineering applications
- Pre-attachment of sleeves and retrofitting of tags offer excellent versatility
- Not suited for labelling with P-Ink or STI pen in connection with CLI T sleeves

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

### General ordering data

|                    |                                                                                             |
|--------------------|---------------------------------------------------------------------------------------------|
| Version            | TM-I, Insert markers, {Reference (AttributeDefinition) not found: pAttr74196859207437}, red |
| Order No.          | <a href="#">1421170000</a>                                                                  |
| Type               | TM-I 12/18 MC NE RT                                                                         |
| GTIN (EAN)         | 4050118224931                                                                               |
| Qty.               | 240 pc(s).                                                                                  |
| compatible printer | <a href="#">2715590000</a> <a href="#">2438520000</a> <a href="#">2438510000</a>            |

## TM-I 12/18 MC NE RT

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|                |            |                 |            |
|----------------|------------|-----------------|------------|
| Height         | 30 mm      | Height (inches) | 1.181 inch |
| Net weight     | 0.31 g     | Width           | 4 mm       |
| Width (inches) | 0.157 inch |                 |            |

## Temperatures

|                             |              |
|-----------------------------|--------------|
| Operating temperature range | -40...100 °C |
|-----------------------------|--------------|

## General data

|                                   |              |                                   |                              |
|-----------------------------------|--------------|-----------------------------------|------------------------------|
| Colour                            | red          | Halogen                           | No                           |
| Material                          | Polyamide 66 | Number of markers per combination | 1 MultiCard = Insert markers |
| Operating temperature range       | -40...100 °C | Operating temperature range, max. | 100 °C                       |
| Operating temperature range, min. | -40 °C       | Recommended industries            | Transportation, Machinery    |
| UL 94 flammability rating         | V-2          | Width                             | 4 mm                         |

## Conductor and cable markers

|         |    |
|---------|----|
| Halogen | No |
|---------|----|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001530    | ETIM 7.0    | EC001530    |
| ECLASS 9.0  | 27-40-04-01 | ECLASS 9.1  | 27-40-04-01 |
| ECLASS 10.0 | 27-40-04-01 | ECLASS 11.0 | 27-28-11-02 |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                             |                                                                                |
|-----------------------------|--------------------------------------------------------------------------------|
| Engineering Data            | <a href="#">EPLAN, WSCAD</a>                                                   |
| Product Change Notification | <a href="#">Technical change - DE</a><br><a href="#">Technical change - EN</a> |

### TM-I 12/18 MC NE RT

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

