

THM UR20 WS**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

THM ET S7 non-adhesive, roll-packaged labels are used to label the SIMATIC ET 200S and S7-modules from Siemens.

The M-Print® PRO software can be used to individually print the THM ET S7 labels with a THM printer. Labels can be easily separated. The THM MultiMark printer ensures highly-resistant printing.

General ordering data

Version	THM, Insert markers, {Reference (AttributeDefinition) not found: pAttr74196859207437}, white
Order No.	1429420000
Type	THM UR20 WS
GTIN (EAN)	4050118233858
Qty.	1 pc(s).
compatible printer	2599430000 2599440000

Creation date March 23, 2021 10:35:13 PM CET

THM UR20 WS

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	0.08 mm	Depth (inches)	0.003 inch
Height	90 mm	Height (inches)	3.543 inch
Net weight	376 g	Width	8 mm
Width (inches)	0.315 inch		

Temperatures

Operating temperature range	-40...80 °C
-----------------------------	-------------

General data

Approval acc. to UL 969	No	Colour	white
Halogen	Yes	Material	Vinyl film
Number of markers per combination	1 Label reel = Insert markers	Number per roll	1,000
Number per sheet	1,000	Operating temperature range	-40...80 °C
Operating temperature range, max.	80 °C	Operating temperature range, min.	-40 °C
Printing method	Thermal transfer	UL 94 flammability rating	HB
Width	8 mm		

Device markers

Halogen	Yes
---------	-----

Classifications

ETIM 6.0	EC001288	ETIM 7.0	EC001288
ECLASS 9.0	27-40-06-29	ECLASS 9.1	27-40-06-29
ECLASS 10.0	27-40-06-29	ECLASS 11.0	27-28-11-04

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	STEP
Engineering Data	EPLAN, WSCAD

THM UR20 WS

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

