

**THM MT30X 27/27 SI****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

The THM labels offer brilliant printing quality thanks to the thermal transfer technology. Different materials and the user-friendly printing system under Windows optimise every marking effort.

- High-quality polyester labels in various colours or inexpensive paper labels are available
- Labels are automatically positioned in the printer for perfectly centred prints on each label.

**General ordering data**

|                    |                                                                                               |
|--------------------|-----------------------------------------------------------------------------------------------|
| Version            | THM, Device markers, {Reference (AttributeDefinition) not found: pAttr74196859207437}, silver |
| Order No.          | <a href="#">1477340000</a>                                                                    |
| Type               | THM MT30X 27/27 SI                                                                            |
| GTIN (EAN)         | 4050118284683                                                                                 |
| Qty.               | 1 pc(s).                                                                                      |
| compatible printer | <a href="#">2599430000</a> <a href="#">2599440000</a>                                         |

Creation date March 24, 2021 12:55:17 AM CET

## THM MT30X 27/27 SI

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|                |            |                 |            |
|----------------|------------|-----------------|------------|
| Depth          | 0.08 mm    | Depth (inches)  | 0.003 inch |
| Height         | 27 mm      | Height (inches) | 1.063 inch |
| Net weight     | 249 g      | Width           | 27 mm      |
| Width (inches) | 1.063 inch |                 |            |

## Temperatures

|                             |              |
|-----------------------------|--------------|
| Operating temperature range | -40...150 °C |
|-----------------------------|--------------|

## General data

|                                   |                             |                                   |                               |
|-----------------------------------|-----------------------------|-----------------------------------|-------------------------------|
| Adhesive                          | Acrylate adhesive           | Approval acc. to UL 969           | Yes                           |
| Colour                            | silver                      | Halogen                           | No                            |
| Material                          | Polyester                   | Number of markers per combination | 1 Label reel = Device markers |
| Number per roll                   | 5,000                       | Operating temperature range       | -40...150 °C                  |
| Operating temperature range, max. | 150 °C                      | Operating temperature range, min. | -40 °C                        |
| Printing method                   | Thermal transfer            | UL 94 flammability rating         | V-0                           |
| Version                           | Self-adhesive, halogen-free | Width                             | 27 mm                         |

## Device markers

|         |    |
|---------|----|
| Halogen | No |
|---------|----|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0    | EC001288    |
| ECLASS 9.0  | 27-40-06-29 | ECLASS 9.1  | 27-40-06-29 |
| ECLASS 10.0 | 27-40-06-29 | ECLASS 11.0 | 27-28-11-04 |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                  |                              |
|------------------|------------------------------|
| Engineering Data | <a href="#">STEP</a>         |
| Engineering Data | <a href="#">EPLAN, WSCAD</a> |

**THM MT30X 27/27 SI**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

