

**KQI-M6/-10****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Insulated cable connector in PVC or PC/PA**

- Conventional designs
- Not soldered
- With conical entry funnel, except for joint connector

**General ordering data**

Version	cable lug, terminal end, Insulated cable connector, 10 mm <sup>2</sup>
Order No.	<a href="#">1492440000</a>
Type	KQI-M6/-10
GTIN (EAN)	4050118302356
Qty.	50 pc(s).

Creation date March 24, 2021 2:05:59 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

## KQI-M6/-10

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

# Technical data

### Dimensions and weights

Net weight 2.92 g

### Connectors

Conductor cross-section	10 mm <sup>2</sup>	Connection length (l)	25.5 mm
Hole	M 6	Identification colour	red
Inside diameter of collar (d4)	8 mm	Inside diameter of flange (d2)	6.5 mm
Inside diameter of shaft (d1)	4.5 mm	Material/plastic	PA
Outside diameter of shaft (d3)	11 mm		

### Classifications

ETIM 6.0	EC001059	ETIM 7.0	EC001059
ECLASS 9.0	27-40-02-12	ECLASS 9.1	27-40-02-12
ECLASS 10.0	27-40-02-12	ECLASS 11.0	27-40-02-12

### Approvals

ROHS Conform

### Downloads

Engineering Data [EPLAN](#)

**Data sheet**

**KQI-M6/-10**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

