

## PRODUCT-DETAILS

# 150M20-45

## LUG 45DEG 150MM2 M20 CLASS B 1HL CU



### General Information

|                       |                                                                                                                     |
|-----------------------|---------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 150M20-45                                                                                                           |
| Product ID            | 7TCA302360R0004                                                                                                     |
| EAN                   | 5415022353464                                                                                                       |
| Catalog Description   | LUG 45DEG 150MM2 M20 CLASS B 1HL CU                                                                                 |
| Long Description      | Metric Lug, Copper, Electro-Tin Plating Finish, Class B, Cable Size 150mm Squared, Bolt Size M20, 45 Degree, 1 Hole |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5415022353464 |
|-----|---------------|

### Dimensions

|                    |       |
|--------------------|-------|
| Product Net Length | 0, mm |
|--------------------|-------|

### Container Information

|                         |                |
|-------------------------|----------------|
| Package Level 1 Units   | 20 piece       |
| Package Level 1 Width   | 4 in<br>102 mm |
| Package Level 1 Height  | 4 in<br>102 mm |
| Package Level 1 Depth / | 8 in           |

|                                |                 |
|--------------------------------|-----------------|
| Length                         | 203 mm          |
| Package Level 2 Units          | 120 piece       |
| Package Level 2 Width          | 8 in<br>203 mm  |
| Package Level 2 Height         | 8 in<br>203 mm  |
| Package Level 2 Depth / Length | 12 in<br>305 mm |

## Additional Information

|                     |                                         |
|---------------------|-----------------------------------------|
| Brand / Label       | Spec-Kon                                |
| Cable Size          | 150 mm <sup>2</sup>                     |
| Color               | Black                                   |
| Effective Date      | 20151030                                |
| Insulation Material | None                                    |
| Material            | Copper                                  |
| Number of Batteries | 0                                       |
| Product Name        | ELECTRICAL TERMINAL                     |
| Product Type        | Metric Standard Barrel - 45 Degree Bend |
| Stud Size           | M20                                     |
| UPC                 | 786210069357                            |
| Voltage Rating      | 35 kV                                   |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 150M20-45       |
| Declaration of Conformity - CE    | 9AKK107492A9836 |
| Instructions and Manuals          | 150M20-45       |

## Classifications

|                                    |                                                 |
|------------------------------------|-------------------------------------------------|
| ETIM 6                             | EC001051 - Tube cable lug for copper conductors |
| ETIM 7                             | EC001051 - Tube cable lug for copper conductors |
| UNSPSC                             | 39121405                                        |
| WEEE Category                      | Product Not in WEEE Scope                       |
| IDEA Granular Category Code (IGCC) | 4532 >> Cable or wire lug                       |

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

