


PAGETAB 15/9**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

PageTab are woven-fabric labels in sheet form. Except for the 8 x 20 version, all labels have a black border.

General ordering data

Version	Device markers, Device markers, {Reference (AttributeDefinition) not found: pAttr74196859207437}, yellow
Order No.	1686160000
Type	PAGETAB 15/9
GTIN (EAN)	4008190492533
Qty.	25 pc(s).

Creation date March 24, 2021 7:37:05 PM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

PAGETAB 15/9

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	0.08 mm	Depth (inches)	0.003 inch
Height	9 mm	Height (inches)	0.354 inch
Net weight	10 g	Width	15 mm
Width (inches)	0.591 inch		

Temperatures

Operating temperature range	-29...93 °C
-----------------------------	-------------

General data

Adhesive	Permanent acrylic copolymer	Colour	yellow
Material	Acrylic-coated fibre webbing	Material colour according to resistance code	4
Number of markers per combination	1 Label sheet = 310 Device markers	Number per sheet	310
Operating temperature range	-29...93 °C	Operating temperature range, max.	93 °C
Operating temperature range, min.	-29 °C	Printing	Neutral
Version	Self-adhesive	Width	15 mm

Classifications

ETIM 6.0	EC001288	ETIM 7.0	EC001288
ECLASS 9.0	27-40-06-29	ECLASS 9.1	27-40-06-29
ECLASS 10.0	27-40-06-29	ECLASS 11.0	27-28-11-04

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN, WSCAD
------------------	------------------------------

