


PAGETAB 56/22**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

PageTab are woven-fabric labels in sheet form. Except for the 8 x 20 version, all labels have a black border.

General ordering data

Version	Device markers, Device markers, {Reference (AttributeDefinition) not found: pAttr74196859207437}, yellow
Order No.	1686210000
Type	PAGETAB 56/22
GTIN (EAN)	4008190492649
Qty.	25 pc(s).

PAGETAB 56/22**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Depth	0.08 mm	Depth (inches)	0.003 inch
Height	22 mm	Height (inches)	0.866 inch
Net weight	11.24 g	Width	56 mm
Width (inches)	2.205 inch		

Temperatures

Operating temperature range	-29...93 °C
-----------------------------	-------------

General data

Adhesive	Permanent acrylic copolymer	Colour	yellow
Material	Acrylic-coated fibre webbing	Material colour according to resistance code	4
Number of markers per combination	1 Label sheet = 24 Device markers	Number per sheet	24
Operating temperature range	-29...93 °C	Operating temperature range, max.	93 °C
Operating temperature range, min.	-29 °C	Printing	Neutral
Version	Self-adhesive	Width	56 mm

Classifications

ETIM 6.0	EC001288	ETIM 7.0	EC001288
ECLASS 9.0	27-40-06-29	ECLASS 9.1	27-40-06-29
ECLASS 10.0	27-40-06-29	ECLASS 11.0	27-28-11-04

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN, WSCAD
------------------	------------------------------

