

**KLBUE 15-32 SC****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Product image****Shielding and earthing**

Our protective earth conductor and shielding terminals featuring different connection technologies allow you to effectively protect both people and equipment from interference, such as electrical or magnetic fields. A comprehensive range of accessories rounds off our range.

**General ordering data**

|            |                                     |
|------------|-------------------------------------|
| Version    | Clamping yoke, Clamping yoke, Steel |
| Order No.  | <a href="#">1718341001</a>          |
| Type       | KLBUE 15-32 SC                      |
| GTIN (EAN) | 4032248032310                       |
| Qty.       | 10 pc(s).                           |

**KLBUE 15-32 SC****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|                |            |                 |            |
|----------------|------------|-----------------|------------|
| Depth          | 63.9 mm    | Depth (inches)  | 2.516 inch |
| Height         | 32 mm      | Height (inches) | 1.26 inch  |
| Net weight     | 76.714 g   | Width           | 33.25 mm   |
| Width (inches) | 1.309 inch |                 |            |

**Temperatures**

|                     |                |
|---------------------|----------------|
| Storage temperature | -25 °C...55 °C |
|---------------------|----------------|

**Material data**

|          |       |        |        |
|----------|-------|--------|--------|
| Material | Steel | Colour | silver |
|----------|-------|--------|--------|

**System specifications**

|         |                         |
|---------|-------------------------|
| Version | For a shield connection |
|---------|-------------------------|

**Additional technical data**

|                          |         |                     |                 |
|--------------------------|---------|---------------------|-----------------|
| Explosion-tested version | No      | Installation advice | Direct mounting |
| Type of fixing           | Snap-on | Type of mounting    | Screw           |

**Conductors for clamping (rated connection)**

|                      |       |                      |       |
|----------------------|-------|----------------------|-------|
| Cable diameter, max. | 32 mm | Cable diameter, min. | 15 mm |
|----------------------|-------|----------------------|-------|

**Dimensions**

|                  |        |                 |       |
|------------------|--------|-----------------|-------|
| Length of thread | 4.8 mm | Pitch in mm (P) | 36 mm |
|------------------|--------|-----------------|-------|

**General**

|                     |                 |
|---------------------|-----------------|
| Installation advice | Direct mounting |
|---------------------|-----------------|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC002020    | ETIM 7.0    | EC002020    |
| ECLASS 9.0  | 27-14-11-50 | ECLASS 9.1  | 27-14-11-50 |
| ECLASS 10.0 | 27-14-11-50 | ECLASS 11.0 | 27-14-11-50 |

**Approvals**

Approvals



|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

### KLBUE 15-32 SC

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Downloads

|                                             |                                                                                            |
|---------------------------------------------|--------------------------------------------------------------------------------------------|
| Approval/Certificate/Document of Conformity | <a href="#">EAC certificate</a>                                                            |
| Engineering Data                            | <a href="#">STEP</a>                                                                       |
| Engineering Data                            | <a href="#">EPLAN, WSCAD</a>                                                               |
| User Documentation                          | <a href="#">Beipackzettel_KLBUE.pdf</a><br><a href="#">StorageConditionsTerminalBlocks</a> |