

VP M16-EXE SW**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Similar to illustration**

For sealing surplus threaded holes to maintain the IP class of protection

General ordering data

Version	VPK EX (Ex blanking plug in plastic), Blanking plug, M 16, 15 mm, IP66, IP68, Polyamide
Order No.	1737070000
Type	VP M16-EXE SW
GTIN (EAN)	4008190956547
Qty.	100 pc(s).

VP M16-EXE SW

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Length	19 mm	Length (inches)	0.748 inch
Net weight	2.67 g		

Technical properties

Protection degree	IP54, IP66
-------------------	------------

Technical data

Colour	Deep black	Protection degree	IP54, IP66
--------	------------	-------------------	------------

Classifications

ETIM 6.0	EC000451	ETIM 7.0	EC000451
ECLASS 9.0	27-14-44-25	ECLASS 9.1	27-14-44-35
ECLASS 10.0	27-14-44-25	ECLASS 11.0	27-14-44-25

Approvals

Approvals



ROHS	Conform
------	---------

Downloads

Engineering Data	STEP
Engineering Data	EPLAN, WSCAD

VP M16-EXE SW

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Drawings

