

**CBFP 43.5/10 BLACK****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Fastening of cables or bundles with ties into electrical switchgears and cabinets.

**General ordering data**

|            |                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Version    | Cable ties, {Reference (AttributeDefinition) not found: pAttr74196859207437}: {Reference (AttributeDefinition) not found: pAttr74196859207437}, Plastic, 80 N |
| Order No.  | <a href="#">1859410000</a>                                                                                                                                    |
| Type       | CBFP 43.5/10 BLACK                                                                                                                                            |
| GTIN (EAN) | 4032248412297                                                                                                                                                 |
| Qty.       | 100 pc(s).                                                                                                                                                    |

Creation date March 25, 2021 9:00:25 PM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

**CBFP 43.5/10 BLACK****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|                |            |                 |            |
|----------------|------------|-----------------|------------|
| Depth          | 2 mm       | Depth (inches)  | 0.079 inch |
| Height         | 10 mm      | Height (inches) | 0.394 inch |
| Net weight     | 1.91 g     | Width           | 43.5 mm    |
| Width (inches) | 1.713 inch |                 |            |

**Temperatures**

|                             |              |
|-----------------------------|--------------|
| Operating temperature range | -40...100 °C |
|-----------------------------|--------------|

**Installation materials**

|                                   |         |                                   |                   |
|-----------------------------------|---------|-----------------------------------|-------------------|
| Diameter of fastening hole        | 8 mm    | For re-opening                    | No                |
| Material                          | Plastic | Max. cable tie width              | 9 mm              |
| Operating temperature range, max. | 100 °C  | Operating temperature range, min. | -40 °C            |
| Tensile strength                  | 80 N    | UL 94 flammability rating         | V-2               |
| UV-resistant                      | No      | Version                           | for wall mounting |

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000046    | ETIM 7.0    | EC000046    |
| ECLASS 9.0  | 27-14-07-02 | ECLASS 9.1  | 27-14-07-02 |
| ECLASS 10.0 | 27-14-07-02 | ECLASS 11.0 | 27-14-07-02 |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|                  |                              |
|------------------|------------------------------|
| Engineering Data | <a href="#">EPLAN, WSCAD</a> |
|------------------|------------------------------|

### CBFP 43.5/10 BLACK

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

### Dimensional drawing

