

**CC 15/17 K MC SDR****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Similar to illustration

ClipCard device markers in MultiCard format are used for labelling electrical installations and switchgear systems, and offer an interesting alternative to engraving. Thanks to the proven MultiCard format, labelling is possible with PrintJet CONNECT or Plotter.

- Highly resistant printing quality when using the PrintJet as a substitute for engraving
- Universal fixing
- Carrier (screwable or with cable ties)
- Tag rail (self-adhesive or screw fixing)
- Or self-adhesive tags

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

|                    |                                                                                                                       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------|
| Version            | ClipCard, Device markers, {Reference (AttributeDefinition) not found: pAttr74196859207437}, To customer specification |
| Order No.          | <a href="#">1876600000</a>                                                                                            |
| Type               | CC 15/17 K MC SDR                                                                                                     |
| GTIN (EAN)         | 4032248467112                                                                                                         |
| Qty.               | 16 pc(s).                                                                                                             |
| compatible printer | <a href="#">2715590000</a> <a href="#">2438520000</a> <a href="#">2438510000</a>                                      |

Creation date March 26, 2021 1:51:41 AM CET

## CC 15/17 K MC SDR

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|                |            |                 |            |
|----------------|------------|-----------------|------------|
| Depth          | 1 mm       | Depth (inches)  | 0.039 inch |
| Height         | 15 mm      | Height (inches) | 0.591 inch |
| Net weight     | 0.875 g    | Width           | 17 mm      |
| Width (inches) | 0.669 inch |                 |            |

## Temperatures

|                             |             |
|-----------------------------|-------------|
| Operating temperature range | -40...60 °C |
|-----------------------------|-------------|

## General data

|                                   |                            |                                   |                                                               |
|-----------------------------------|----------------------------|-----------------------------------|---------------------------------------------------------------|
| Adhesive                          | Double-sided adhesive tape | Colour                            | To customer specification                                     |
| Colour of printing                | black                      | Halogen                           | No                                                            |
| Material                          | Polyamide 66               | Number of markers per combination | 1 MultiCard = Device markers                                  |
| Operating temperature range       | -40...60 °C                | Operating temperature range, max. | 60 °C                                                         |
| Operating temperature range, min. | -40 °C                     | Printed characters                | Based on customer requirements (Please send M-Print PRO file) |
| Printing method                   | MC Laser                   | UL 94 flammability rating         | V-2                                                           |
| Version                           | Self-adhesive              | Width                             | 17 mm                                                         |

## Device markers

|         |    |
|---------|----|
| Halogen | No |
|---------|----|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0    | EC001288    |
| ECLASS 9.0  | 27-40-06-29 | ECLASS 9.1  | 27-40-06-29 |
| ECLASS 10.0 | 27-40-06-29 | ECLASS 11.0 | 27-28-11-04 |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                  |                              |
|------------------|------------------------------|
| Engineering Data | <a href="#">EPLAN, WSCAD</a> |
|------------------|------------------------------|

### CC 15/17 K MC SDR

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

