

STR CC 30/60 TRANSPARENT**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

General ordering data

Version	ClipCard, Accessories, {Reference (AttributeDefinition) not found: pAttr74196859207437}, Transparent
Order No.	1934450000
Type	STR CC 30/60 TRANSPARENT
GTIN (EAN)	4032248590988
Qty.	10 pc(s).

Creation date March 26, 2021 10:08:41 AM CET

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

STR CC 30/60 TRANSPARENT**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Depth	0.5 mm	Depth (inches)	0.02 inch
Height	30 mm	Height (inches)	1.181 inch
Net weight	1.1 g	Width	60 mm
Width (inches)	2.362 inch		

Temperatures

Operating temperature range	-20...80 °C
-----------------------------	-------------

General data

Colour	Transparent	Halogen	No
Material	PVC	Number of markers per combination	1 MultiCard = Accessories
Operating temperature range	-20...80 °C	Operating temperature range, max.	80 °C
Operating temperature range, min.	-20 °C	Recommended industries	Machinery
UL 94 flammability rating	HB	Width	60 mm

Device markers

Halogen	No
---------	----

Classifications

ETIM 6.0	EC001288	ETIM 7.0	EC001288
ECLASS 9.0	27-40-06-29	ECLASS 9.1	27-40-06-29
ECLASS 10.0	27-40-06-29	ECLASS 11.0	27-28-11-04

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	WSCAD, EPLAN
------------------	------------------------------

STR CC 30/60 TRANSPARENT

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

