

**HDC CM BUS SV F2****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

The ConCept-CSB module is a double module and takes up two slots in the ConCept module frame. The ConCept-CSB module consists of a module carrier that is capable of holding two contact carriers. The contact carrier is manufactured with a die-cast zinc alloy which provides it with excellent shielding capabilities. The crimp contacts are insulated from the contact carrier and mounted in a plastic insert. A variety of pole counts – 1, 4 and 8 poles – are available to ensure compatibility with a wide range of applications.

**General ordering data**

|            |                                                   |
|------------|---------------------------------------------------|
| Version    | Heavy-duty connectors, HDC insert, ConCept module |
| Order No.  | <a href="#">1983720000</a>                        |
| Type       | HDC CM BUS SV F2                                  |
| GTIN (EAN) | 4032248688708                                     |
| Qty.       | 1 pc(s).                                          |

## HDC CM BUS SV F2

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|                |            |                 |            |
|----------------|------------|-----------------|------------|
| Height         | 32 mm      | Height (inches) | 1.26 inch  |
| Length         | 34 mm      | Length (inches) | 1.339 inch |
| Net weight     | 9.29 g     | Width           | 22.8 mm    |
| Width (inches) | 0.898 inch |                 |            |

## Temperatures

|                   |                  |
|-------------------|------------------|
| Limit temperature | -40 °C ... 70 °C |
|-------------------|------------------|

## Environmental Product Compliance

|            |                                                |
|------------|------------------------------------------------|
| REACH SVHC | Potassium perfluorobutane sulfonate 29420-49-3 |
|------------|------------------------------------------------|

## ConCept Pneumatic module

|        |       |
|--------|-------|
| Colour | beige |
|--------|-------|

## Dimensions

|                  |         |                   |       |
|------------------|---------|-------------------|-------|
| Height of socket | 32 mm   | Total length base | 34 mm |
| Width            | 22.8 mm |                   |       |

## General data

|          |               |        |                |
|----------|---------------|--------|----------------|
| Material | Polycarbonate | Series | ConCept module |
| Type     | Female        |        |                |

## Version

|          |               |                    |                  |
|----------|---------------|--------------------|------------------|
| Material | Polycarbonate | Type of connection | Crimp connection |
|----------|---------------|--------------------|------------------|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC002312    | ETIM 7.0    | EC002312    |
| ECLASS 9.0  | 27-44-02-92 | ECLASS 9.1  | 27-44-02-18 |
| ECLASS 10.0 | 27-44-02-92 | ECLASS 11.0 | 27-44-02-92 |

## Approvals

Approvals



|                       |         |
|-----------------------|---------|
| ROHS                  | Conform |
| UL File Number Search | E92202  |

## Downloads

|                  |                              |
|------------------|------------------------------|
| Engineering Data | <a href="#">STEP</a>         |
| Engineering Data | <a href="#">EPLAN, WSCAD</a> |

## HDC CM BUS SV F2

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

