## Data sheet for three-phase Squirrel-Cage-Motors SIMOTICS



Motor type : 1AV1132B SIMOTICS GP - 132 M - IM B3 - 4p Offer no. Client order no. Item-No Order no. Consignment no. Project Remarks Safe Area **Electrical data** -/η 3) Δ/Υ U f Р Р ī М cosφ <sup>3)</sup>  $I_A/I_N$  $M_A/M_N$  $M_K/M_N$ IE-CL n [V] [Hz] [kW] [hp] [A] [1/min] [Nm] 4/4 3/4 4/4  $T_I/T_N$  $T_B/T_N$ 2/4 3/4 2/4  $I_I/I_N$ **DOL duty (S1)** - 155(F) to 130(B) 400 Δ 50 7.50 15.40 1450 49.5 86.0 86.5 85.4 0.82 0.76 0.64 6.6 2.6 3.1 IE1 690 7.50 -/-8.90 50 1450 49.5 86.0 86.5 85.4 0.82 0.76 0.64 2.6 3.1 IE1 6.6 Δ 60 8.60 -/-0.79 7.0 IE1 460 14.70 1750 47.0 87.5 87.8 86.7 0.84 0.68 2.4 3.0 IM B3 / IM 1001 FS 132 M UKCA IEC/EN 60034 IEC, DIN, ISO, VDE, EN IP55 Environmental conditions: -20 °C - +40 °C / 1000 m Locked rotor time (hot / cold): 8.6 s | 15.5 s Mechanical data Sound level (SPL / SWL) at 50Hz|60Hz 64 / 76 dB(A) 2) 3) 68 / 80 dB(A) 2) 3) Vibration severity grade Α Moment of inertia 0.0240 kg m<sup>2</sup> Thermal class F Bearing DE | NDE 6208 2Z C3 6208 2Z C3 Duty type S1 bearing lifetime Direction of rotation bidirectional  $L_{10mh}\,F_{Rad\,\,min}$  for coupling operation  $50|60Hz^{\,1)}$ 40000 h 32000 h Frame material aluminum Regreasing device Without Net weight of the motor (IM B3) 44 kg Coating (paint finish) Standard paint finish C2 Grease nipple Preloaded bearing DE RAL7030 Type of bearing Color, paint shade Condensate drainage holes Without Motor protection (A) without (Standard) External earthing terminal Without Method of cooling IC411 - self ventilated, surface cooled Terminal box Terminal box position top Max. cross-sectional area  $6 \text{ mm}^2$ Material of terminal box Aluminium Cable diameter from ... to ... 11 mm - 21 mm Type of terminal box TB1 H00 2xM32x1,5 Cable entry Contact screw thread Μ4 Cable gland 2 plugs 1) L<sub>10mh</sub> according to DIN ISO 281 10/2010 3) Value is valid only for DOL operation with motor design IC411 IA/IN = locked rotor current / current nominal M<sub>A</sub>/M<sub>N</sub> = locked rotor torque / torque nominal 2) at rated power / at full load  $M_K/M_N$  = break down torque / nominal torque Transmittal, reproduction, dissemination and/or editing of this document as well as utilization of its contents and communication thereof to others without express authorization are prohibited. Offenders will be held liable for payment of damages. All rights created by patent grant or registration of a utility model or design patent are reserved Responsible department Technical reference Created by Approved by Technical data are subject to change! There may be discrepancies between calculated and rating plate IN LVM SPC Created automatically Document type Document status Released Technical data sheet **SIEMENS** Document number

TDS-240409-112210

Creation date

2024-04-09

Language

Page

Revision

© Innomotics 2024

Restricted

1LE1002-1CB23-4AA4-Z

D22+D47

## Data sheet for three-phase Squirrel-Cage-Motors SIMOTICS



Motor type: 1AV1132B SIMOTICS GP - 132 M - IM B3 - 4p

	.ype 1 1744 1 1325		5		· · · · · · · · · · · · · · · · · · ·				•	
Special	design									
D22	Motor without CE ch	naracter for export outsi 31)	de the EEA (see EU	D47	TR CU p	product s	afety cert	ificate EAC for the Eu	rasian Custor	ns Union
	regulation 2019/178	31)								
Transmittal	I, reproduction, dissemination and/	or editing of this document as we	ell as utilization of its contents ar	nd communication therec	of to others wit	hout express	authorizatio	n are prohibited. Offenders wi	ill be held liable fo	r payment of
	Il rights created by patent grant or							,		
Responsib	ole department	Technical reference	Created by	Approved by				ect to change! There may be		ents
IN LVM		1	SPC	Created auto	matically	discrepand values.	ies between	calculated and rating plate	同數學	<b>阿格勒森</b>
		Document type	1	1			Document :	status		2200
								status	***	
CI	<b>EMENS</b>		Technical data sheet				Released  Document number			
	FIAI FIA 2	Document title				I			62	
		1LE1002-1CB23-4	AA4-Z			-  -	TDS-240	409-112210		ESPACES S
Restricte	ed	D22+D47					Revision	Creation date	Language	Page
	motics 2024	1				[	Δ Δ	2024-04-09	on	2/2