

fan heater, with fan 230V, 300 W; HVL031 03114.0-00



Figure similar

Model	
Product brand name	SIVACON
Product designation	heater unit
Design of the product	With fan
General technical data	
Consumed active power / Rated value	300 W
Volume flow rate / free-blowing	108 m³/h
Voltage	
Type of voltage / of the operating voltage	AC
Continuous heat output / at 20 °C	300 W
Protection class	
Protection class IP	IP20
Main circuit	
Operating voltage	
• rated value / minimum	230 V
• rated value / maximum	230 V

- at AC / at 50 Hz / rated value / minimum 230 V
- at AC / at 50 Hz / rated value / maximum 230 V
- at AC / at 60 Hz / rated value / minimum 230 V
- at AC / at 60 Hz / rated value / maximum 230 V

Operating current / of the slow-blow fuse link 2 A

Product details

Product component

- blower Yes
- Thermostat No

Connections

Tightening torque / with screw-type terminals / maximum 0.8 N·m

Type of connection 3-pole terminal 2.5 mm²

Mechanical Design

Height 151 mm

Width 119 mm

Depth 47 mm

Mounting type Clip for 35 mm DIN rail

Net weight 0.9 kg

Material / of the enclosure plastic

Environmental conditions

Relative humidity / Reference value 90 %

Certificates

Reference code

- acc. to DIN EN 61346-2 R
- acc. to DIN EN 81346-2 E

General Product Approval



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MR2140-3B>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8MR2140-3B>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR2140-3B

CAX-Online-Generator
<http://www.siemens.com/cax>

Tender specifications
<http://www.siemens.com/specifications>