

PRODUCT-DETAILS

PDR31.0

PDR31.0 PROFIBUS Termination Unit For usage with SMK3.0



General Information

Extended Product Type	PDR31.0
Product ID	1SAJ243000R0001
EAN	4013614499647
Catalog Description	PDR31.0 PROFIBUS Termination Unit For usage with SMK3.0
Long Description	The PDR31.0 is an active bus termination., which is necessary, because the PDP32.0 itself cannot act as an active termination.

Ordering

EAN	4013614499647
Minimum Order Quantity	1 piece
Customs Tariff Number	85176200

Dimensions

Product Net Width	22.5 mm
Product Net Height	64 mm
Product Net Depth / Length	59 mm
Product Net Weight	0.03 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	112 mm
Package Level 1 Height	67 mm
Package Level 1 Depth / Length	26 mm
Package Level 1 Gross Weight	0.03 kg
Package Level 1 EAN	4013614499647

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Additional Information

Degree of Protection	IP20
Fieldbus Interface Type	PROFIBUS
Mounting on DIN Rail	With Single Mounting Kit
Mounting Type	UMC100.3/Single Mounting
Power Loss	Approximately 0.5 W
Product Main Type	PDR31.0
Product Name	Termination Unit
Rated Control Supply Voltage (U _s)	24 V DC
Standards	IEC/EN 61131-2
Suitable For	UMC100

Certificates and Declarations (Document Number)

ABS Certificate	17-HG1610225-PDA
Data Sheet, Technical Information	2CDC192016D0201
Declaration of Conformity - CE	1SVD981004
Instructions and Manuals	2CDC192017M6801
RoHS Information	1SVD981004

Classifications

ETIM 5	EC001604 - Fieldbus, decentr. periphery - communication module
ETIM 6	EC001604 - Fieldbus, decentr. periphery - communication module
ETIM 7	EC001604 - Fieldbus, decentr. periphery - communication module
Object Classification Code	K
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27242608

Categories

Low Voltage Products and Systems → Control Products → Motor Controllers → Universal Motor Controllers Accessories

