

1SCC390001M0011

PRODUCT-DETAILS

Instructions and

OEZXP380C

OEZXP380C Cable entry plate



General Information	
Extended Product Type	OEZXP380C
Product ID	1SCA022338R6170
EAN	6417019160955
Catalog Description	OEZXP380C Cable entry plate
Long Description	Steel sheet cable entry plate for none EMC enclosures. Six C-type cable entry hole and knock outs for control cable.
	1 piece
Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	Finland (FI)
Popular Downloads	
Data Sheet, Technical	1SCC340015C0201

Dimensions	
Product Net Width	800 mm

Product Net Height	50 mm
Product Net Depth / Length	330 mm
Product Net Weight	4.5 kg

Technical	
Cable Outlets Per Side	6xC-flange, Knock-outs: 3x10mm, 12.5mm, 2x20.5mm, 2x25.5mm, 2x32.5mm
Enclosure Material	Steel

Environmental	
RoHS Status	Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)		
Instructions and	1SCC390001M0011	
Manuals		

Container Information	
Package Level 1 Units	bag 1 piece
Package Level 1 Width	330 mm
Package Level 1 Depth / Length	800 mm
Package Level 1 Height	50 mm
Package Level 1 Gross Weight	4.5 kg
Package Level 1 EAN	6417019160955

Classifications	
Object Classification Code	N/A
ETIM 5	EC000211 - Gland plate for small distribution boards/switchgear cabinets
ETIM 6	EC000211 - Gland plate for small distribution boards/switchgear cabinets
ETIM 7	EC000211 - Gland plate for small distribution boards/switchgear cabinets
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Finland)	3642966

Categories

Low Voltage Products and Systems \rightarrow Enclosed Switches \rightarrow Enclosed Change-over and Transfer Switches Accessories Low Voltage Products and Systems \rightarrow Enclosed Switches \rightarrow Enclosed Switches Accessories Low Voltage Products and Systems \rightarrow Enclosed Switches \rightarrow Enclosed Switch Fuses Accessories Low Voltage Products and Systems \rightarrow Enclosed Switches \rightarrow Enclosed Switch-Disconnectors Accessories

OEZXP380C 3

