

PRODUCT-DETAILS

OFAX4AS31

OFAX4AS31 HANDLE FUSE BASE



General Information

Extended Product Type	OFAX4AS31
Product ID	1SCA022631R2500
EAN	6417019206684
Catalog Description	OFAX4AS31 HANDLE FUSE BASE
Long Description	Fuse Base, Size 4a, Full protection IP 20, 3-pole

Ordering

Customs Tariff Number	85381000
Country of Origin	Germany (DE)

Popular Downloads

Data Sheet, Technical Information	1SCC316001K0201
Instructions and Manuals	1SCC316004M0201

Dimensions

Product Net Width	350 mm 13.78 in
Product Net Height	270 mm 10.63 in

Product Net Depth / Length	390 mm 15.35 in
Product Net Weight	12.6 kg 27.78 lb

Technical

Rated Impulse Withstand Voltage (U _{imp})	8 kV
Rated Insulation Voltage (U _i)	800 V
Rated Operational Voltage	Main Circuit 690 V
Power Loss	at Rated Operating Conditions per Pole 190 W
Pollution Degree	3
Fuse Size	NH4a
Fuse System	DIN
Standards	IEC
Special Functions	IP20, full protection
Mounting Type	Baseplate
Number of Poles	3
Degree of Protection	IP20
Terminal Type	Bolt
Fuse Type	DIN

Environmental

Environmental Information	1SCC316002D0201
---------------------------	-----------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	N/A
Environmental Information	1SCC316002D0201
Instructions and Manuals	1SCC316004M0201
RoHS Information	N/A

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	350 mm 13.78 in
Package Level 1 Depth / Length	390 mm 15.35 in
Package Level 1 Height	270 mm 10.63 in
Package Level 1 Gross Weight	12.6 kg 27.78 lb
Package Level 1 EAN	6417019206684

Classifications

Object Classification Code	F
----------------------------	---

ETIM 5	EC000216 - Switch disconnecter
ETIM 6	EC000067 - Low Voltage HRC fuse base
ETIM 7	EC000067 - Low Voltage HRC fuse base
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland)	3112552

Categories

Low Voltage Products and Systems → Fusegear → Fuse Bases

