

PRODUCT-DETAILS

OT315E04C

OT315E04C CHANGE-OVER SWITCH



General Information	
Extended Product Type	OT315E04C
Product ID	1SCA022775R1030
EAN	6417019252285
Catalog Description	OT315E04C CHANGE-OVER SWITCH
Long Description	Handle and shaft has to be ordered separately

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Finland (FI)

Popular Downloads	
Data Sheet, Technical Information	1SCC303003C0201
Instructions and Manuals	1SCC303008M0203

Dimensions	
Product Net Width	265 mm
Product Net Height	185 mm

Product Net Depth / Length	203 mm
Product Net Weight	7.08 kg 15.61 lb

Technical	
Rated Operational	(380 415 V) 315 A
Current AC-21A (I _e)	(500 V) 315 A
	(690 V) 315 A
Rated Operational	(380 415 V) 315 A
Current AC-22A (I _e)	(500 V) 315 A
Data d On continued	(690 V) 315 A
Rated Operational Current AC-23A (I _e)	(380 415 V) 315 A (500 V) 315 A
Current AC 25A (le)	(690 V) 315 A
Rated Operational	(380 415 V) 315 A
Current AC-31B (I _e)	,
Rated Operational	(380 415 V) 315 A
Current AC-33B (I _e)	
Rated Operational Power	(380 415 V) 160 kW
AC-23A (P _e)	(500 V) 220 kW
	(690 V) 315 kW
Conventional Free-air Thermal Current (I _{th})	q = 40 °C 315 A
Conventional Thermal	Fully Englaced 215 A
Current (I _{the})	Fully Enclosed 315 A
Rated Impulse	12 kV
Withstand Voltage (U _{imp}	IL KV
)	
Rated Insulation Voltage (U_i)	1000 V
Rated Operational Voltage	1000 V
Rated Short-time	for 1 s 15 kiloampere rms
Withstand Current (I _{cw})	
Power Loss	6.5 W
Pollution Degree	3
Handle Color	Black
Handle Type	Handle and shaft not included
Fourth Pole Position	Right Side
Fourth Pole Type	Switched - Simultaneous Function
Switches Operating	Mechanism at the End of the Switch
Mechanism	04 (Left Side)
Distance Between Phases	Standard
Position of Line Terminals	Top In - Bottom Out, Bottom In - Top Out
Operating Mode	Front operated
Mounting Type	Base mounting
Number of Poles	4
Degree of Protection	Front IP20
Transition Type	Open
Transferent type	Орен

Environmental

Environmental	1SCC303050D0201
Information	

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SCC303004D0202
Environmental Information	1SCC303050D0201
Instructions and Manuals	1SCC303008M0203

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	240 mm
Package Level 1 Depth / Length	325 mm
Package Level 1 Height	218 mm
Package Level 1 Gross Weight	7.53 kg 16.6 lb
Package Level 1 EAN	6417019252285

Classifications	
Object Classification Code	Q
ETIM 5	EC000216 - Switch disconnector
ETIM 6	EC000216 - Switch disconnector
ETIM 7	EC000216 - Switch disconnector
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switches \rightarrow Change-over\ and\ Transfer\ Switches \rightarrow Manual\ Change-over\ Switches$

