

PRODUCT-DETAILS

## **OT800U03CP**

# OT800U03CP CHANGE-OVER SWITCH



General Information	
Extended Product Type	OT800U03CP
Product ID	1SCA104031R1001
EAN	6417019383743
Catalog Description	OT800U03CP CHANGE-OVER SWITCH
Long Description	The change-over switches include a black handle IP65

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Finland (FI)

Popular Downloads	
Data Sheet, Technical Information	1SCC303003C0201
Instructions and Manuals	1SCC303008M0203

Dimensions	
Product Net Width	400 mm
Product Net Height	376 mm

Product Net Depth /	335 mm
Length	
Product Net Weight	36 kg

Technical	
Rated Operational Current AC-21A (I <sub>e</sub> )	(380 415 V) 1600 A (500 V) 1600 A (690 V) 1600 A
Rated Operational Current AC-22A (I <sub>e</sub> )	(380 415 V) 1600 A (500 V) 1600 A (690 V) 1600 A
Rated Operational Current AC-23A (I <sub>e</sub> )	(380 415 V) 1600 A (500 V) 1600 A (690 V) 1600 A
Rated Operational Current AC-31B (I <sub>e</sub> )	(380 415 V) 1600 A
Rated Operational Current AC-33B (I <sub>e</sub> )	(380 415 V) 1000 A
Conventional Free-air Thermal Current (I <sub>th</sub> )	q = 40 °C 1600 A
Rated Impulse Withstand Voltage (U <sub>imp</sub> )	12 kV
Rated Operational Voltage	1000 V
Rated Short-time Withstand Current (I <sub>cw</sub> )	for 1 s 50 kiloampere rms
Pollution Degree	3
Handle Color	Black
Handle Type	Handle and shaft included
Switches Operating Mechanism	Mechanism at the End of the Switch 03 (Left Side)
Distance Between Phases	Standard
Position of Line Terminals	Top In - Bottom Out, Bottom In - Top Out
Operating Mode	Front operated
Standards	UL 98 / IEC60947-3
Mounting Type	Base mounting
Number of Poles	3
Degree of Protection	Front IP20
Mechanical Durability	3000 cycle
Transition Type	Open

Technical UL/CSA	
Horsepower Rating	(acc. to UL 240 V) 250 Hp
UL/CSA	(acc. to UL 480 V) 500 Hp
	(acc. to UL 600 V) 500 Hp
Ampere Rating UL/CSA	800 A

Environmental	
Environmental	1SCC303050D0201
Information	

### **Certificates and Declarations (Document Number)**

Declaration of 1SCC303014D0201

#### Conformity - CE

Environmental	1SCC303050D0201
Information	
Instructions and	1SCC303008M0203
Manuals	

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	310 mm
Package Level 1 Depth / Length	560 mm
Package Level 1 Height	330 mm
Package Level 1 Gross Weight	41 kg
Package Level 1 FAN	6417019383743

Classifications	
Object Classification Code	Q
ETIM 5	EC000216 - Switch disconnector
ETIM 6	EC000216 - Switch disconnector
ETIM 7	EC000216 - Switch disconnector
UNSPSC	39122233
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

#### Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switches \rightarrow Change-over\ and\ Transfer\ Switches \rightarrow Manual\ Change-over\ Switches$ 

