

PRODUCT-DETAILS

### OT160E04WCLP

# OT160E04WCLP CHANGE-OVER SWITCH



General Information	
Extended Product Type	OT160E04WCLP
Product ID	1SCA108494R1001
EAN	6417019399461
Catalog Description	OT160E04WCLP CHANGE-OVER SWITCH
Long Description	OT160E04WCLP CHANGE-OVER SWITCH, Handle and shaft included, Closed transition

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Finland (FI)

Popular Downloads	
Data Sheet, Technical Information	1SCC303003C0201
Instructions and Manuals	1SCC303008M0203

Dimensions	
Product Net Width	237 mm
Product Net Height	170 mm

Product Net Depth / Length	160 mm
Product Net Weight	3.8 kg 8.38 lb

Technical	
Rated Operational	(380 415 V) 160 A
Current AC-21A (I <sub>e</sub> )	(500 V) 160 A (690 V) 160 A
Rated Operational	(380 415 V) 160 A
Current AC-22A (I <sub>e</sub> )	(500 V) 160 A (690 V) 160 A
Rated Operational	(380 415 V) 160 A
Current AC-23A (I <sub>e</sub> )	(500 V) 160 A (690 V) 160 A
Rated Operational Current AC-31B (I <sub>e</sub> )	(380 415 V) 160 A
Rated Operational Current AC-33B (I <sub>e</sub> )	(380 415 V) 160 A
Rated Operational Power	(380 415 V) 90 kW
AC-23A (P <sub>e</sub> )	(500 V) 110 kW
	(690 V) 160 kW
Conventional Free-air Thermal Current (I <sub>th</sub> )	q = 40 °C 160 A
Conventional Thermal Current (I <sub>the</sub> )	Fully Enclosed 160 A
Rated Impulse	12 kV
Withstand Voltage ( $U_{imp}$ )	
Rated Insulation Voltage $(U_i)$	1000 V
Rated Operational Voltage	1000 V
Rated Short-time Withstand Current (I <sub>cw</sub> )	for 1 s 8 kiloampere rms
Power Loss	2.4 W
Pollution Degree	3
Handle Color	Black
Handle Type	Handle and shaft included
Fourth Pole Position	Right Side
Fourth Pole Type	Switched - Simultaneous Function
Switches Operating Mechanism	Mechanism at the End of the Switch 04 (Left Side)
Distance Between Phases	Wide phase distance
Position of Line Terminals	Top In - Bottom Out, Bottom In - Top Out
Operating Mode	Front operated
Mounting Type	Base mounting
Number of Poles	4
Degree of Protection	Front IP20
	Closed

# Environmental

Environmental 1SCC303050D0201 Information

### **Certificates and Declarations (Document Number)**

OT160E04WCLP 3

Declaration of Conformity - CE	1SCC303045D2702
Environmental Information	1SCC303050D0201
Instructions and Manuals	1SCC303008M0203

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	186 mm 7.32 in
Package Level 1 Depth / Length	310 mm 12.2 in
Package Level 1 Height	185 mm 7.28 in
Package Level 1 Gross Weight	4.1 kg 9.04 lb
Package Level 1 EAN	6417019399461

Classifications	
Object Classification Code	Q
ETIM 5	EC000216 - Switch disconnector
ETIM 6	EC000216 - Switch disconnector
ETIM 7	EC000216 - Switch disconnector
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland)	3641605

### Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switches \rightarrow Change-over\ and\ Transfer\ Switches \rightarrow Manual\ Change-over\ Switches$ 

