

PRODUCT-DETAILS

# OT200E03CL

# OT200E03CL CHANGE-OVER SWITCH



<b>General Information</b>	
Extended Product Type	OT200E03CL
Product ID	1SCA108521R1001
EAN	6417019397078
Catalog Description	OT200E03CL CHANGE-OVER SWITCH
Long Description	OT200E03CL CHANGE-OVER SWITCH, Handle and shaft need to be ordered separately, Closed transition

1 piece
85365080
Finland (FI)

Popular Downloads	
Data Sheet, Technical Information	1SCC303003C0201
Instructions and Manuals	1SCC303008M0203

Dimensions	
Product Net Width	170 mm

Product Net Height	150 mm
Product Net Depth /	160 mm
Length	
Product Net Weight	2.9 kg
	6.39 lb

Technical	
Rated Operational	(380 415 V) 200 A
Current AC-21A (I <sub>e</sub> )	(500 V) 200 A
	(690 V) 200 A
Rated Operational Current AC-22A (I <sub>e</sub> )	(380 415 V) 200 A
Current AC-22A (Ie)	(500 V) 200 A (690 V) 200 A
Rated Operational	(380 415 V) 200 A
Current AC-23A (I <sub>e</sub> )	(500 V) 200 A (690 V) 200 A
Rated Operational	(380 415 V) 200 A
Current AC-31B (l <sub>e</sub> )	
Rated Operational Current AC-33B (I <sub>e</sub> )	(380 415 V) 200 A
Rated Operational Power	(380 415 V) 110 kW
AC-23A (P <sub>e</sub> )	(500 V) 132 kW (690 V) 200 kW
Conventional Free-air Thermal Current (l <sub>th</sub> )	q = 40 °C 200 A
Conventional Thermal	Fully Enclosed 200 A
Current (I <sub>the</sub> )	
Rated Impulse	12 kV
Withstand Voltage (U <sub>imp</sub> )	
Rated Insulation Voltage	1000 V
(U <sub>i</sub> )	
Rated Operational Voltage	1000 V
Rated Short-time Withstand Current (I <sub>cw</sub> )	for 1 s 8 kiloampere rms
Power Loss	4 W
Pollution Degree	3
Handle Color	Black
Handle Type	Handle and shaft not included
Switches Operating Mechanism	Mechanism at the End of the Switch 03 (Left Side)
Distance Between Phases	Standard
Position of Line Terminals	Top In - Bottom Out, Bottom In - Top Out
Operating Mode	Front operated
Mounting Type	Base mounting
Number of Poles	3
Degree of Protection	Front IP20
Transition Type	Closed

### **Environmental**

Environmental	1SCC303050D0201
Information	

### **Certificates and Declarations (Document Number)**

Declaration of 1SCC303045D2702

6417019397078

### Conformity - CE

Package Level 1 EAN

Environmental Information	1SCC303050D0201
Instructions and	1SCC303008M0203
Manuals	

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	186 mm
	7.32 in
Package Level 1 Depth /	300 mm
Length	11.81 in
Package Level 1 Height	185 mm
	7.28 in
Package Level 1 Gross	3.2 kg
Weight	7.05 lb

Classifications	
Object Classification Code	Q
ETIM 5	EC000216 - Switch disconnector
ETIM 6	EC000216 - Switch disconnector
ETIM 7	EC000216 - Switch disconnector
UNSPSC	39122233
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switches \rightarrow Change-over\ and\ Transfer\ Switches \rightarrow Manual\ Change-over\ Switches$ 

