

PRODUCT-DETAILS

## **OTM400E2CM230V**

## OTM400E2CM230V MOTORIZED C/O SWITCH



<b>General Information</b>	
Extended Product Type	OTM400E2CM230V
Product ID	1SCA121226R1001
EAN	6417019524993
Catalog Description	OTM400E2CM230V MOTORIZED C/O SWITCH
Long Description	Including a handle for manual operation, bolt kit with nut and washers for all terminals and male connectors for control circuits. Include a storage clip for the handle and spare fuses.

Long Description	and male connectors for control circuits. Include a storage clip for the handle and spare fuses.
Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Finland (FI)
Popular Downloads	
Data Sheet, Technical Information	1SCC303003C0201
Instructions and	1SCC303002M0204

Dimensions	
Product Net Width	280 mm

Product Net Height	185 mm
Product Net Depth / Length	235 mm
Product Net Weight	5.2 kg

Tashnisal	
Technical	
Rated Operational	(380 415 V) 400 A
Current AC-21A (I <sub>e</sub> )	(500 V) 400 A (690 V) 400 A
Rated Operational	(380 415 V) 400 A
Current AC-22A (I <sub>e</sub> )	(500 V) 400 A
	(690 V) 400 A
Conventional Free-air	q = 40 °C 400 A
Thermal Current (Ith)	
Conventional Thermal	Fully Enclosed 400 A
Current (I <sub>the</sub> )	
Rated Impulse Withstand Voltage (U <sub>imp</sub>	12 kV
)	
Rated Insulation Voltage	1000 V
$(U_i)$	
Rated Operational	1000 V
Voltage	
Rated Short-time	for 1 s 15 kiloampere rms
Withstand Current (I <sub>cw</sub> )	
Motor Operational Voltage	220 240 V AC
Power Loss	10 W
	3
Pollution Degree	
Handle Color	Black
Handle Type	Direct mounted handle
Switches Operating Mechanism	Mechanism at the End of the Switch
Distance Between	Standard
Phases	Standard
Position of Line	Top In - Bottom Out, Bottom In - Top Out
Terminals	
Operating Mode	Front operated
Mounting Type	Base mounting
Number of Poles	2
Degree of Protection	Front IP20
Transition Type	Open

Certificates and Declarations (Document Number)	
Declaration of	N/A
Conformity - CE Instructions and	1SCC303002M0204
Manuals	13003002140204

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	252 mm
Package Level 1 Depth / Length	454 mm
Package Level 1 Height	257 mm
Package Level 1 Gross Weight	6.84 kg

OTM400E2CM230V 3

Package Level 1 EAN 6417019524993

Classifications	
Object Classification Code	Q
ETIM 5	EC000216 - Switch disconnector
ETIM 6	EC000216 - Switch disconnector
ETIM 7	EC000216 - Switch disconnector
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switches \rightarrow Change-over\ and\ Transfer\ Switches \rightarrow Motorized\ Change-over\ Switches$ 

