

71.18 kg 156.93 lb

PRODUCT-DETAILS

Dimensions

Product Net Weight

OT3200E03CP OT3200E03CP



General Information	
Extended Product Type	OT3200E03Cl
Product ID	1SCA129156R100
EAN	641701958853
Catalog Description	OT3200E03C
Long Description	Manually operated trasfer switch, handle and shaft need to be ordered separatel
Ordering	
0.46.119	
	1 piec
Minimum Order Quantity Customs Tariff Number	1 piec 8536508t
Minimum Order Quantity	
Minimum Order Quantity Customs Tariff Number	85365086
Minimum Order Quantity Customs Tariff Number	8536508i

Technical	
Rated Operational	(380 415 V) 3200 A
Current AC-21B (I _e)	(500 V) 3200 A
Conventional Free-air Thermal Current (I _{th})	q = 40 °C 3200 A
Handle Type	Handle and shaft included
Switches Operating Mechanism	Mechanism at the End of the Switch 03 (Left Side)
Distance Between Phases	Standard
Position of Line Terminals	Top In - Bottom Out, Bottom In - Top Out
Operating Mode	Front operated
Mounting Type	Base mounting
Number of Poles	3
Transition Type	Open

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	430 mm 16.93 in
Package Level 1 Depth / Length	690 mm 27.17 in
Package Level 1 Height	450 mm 17.72 in
Package Level 1 Gross Weight	84.08 kg 185.36 lb
Package Level 1 EAN	6417019588537

Classifications	
Object Classification Code	Q
ETIM 5	EC000216 - Switch disconnector
ETIM 6	EC000216 - Switch disconnector
ETIM 7	EC000216 - Switch disconnector
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switches \rightarrow Change-over\ and\ Transfer\ Switches \rightarrow Manual\ Change-over\ Switches$

OT3200E03CP 3

