

PRODUCT-DETAILS

OTM3200E4CM230C

OTM3200E4CM230C MOTORIZED C/O SWITCH



General Information

Extended Product Type	OTM3200E4CM230C
Product ID	1SCA129242R1001
EAN	6417019589398
Catalog Description	OTM3200E4CM230C MOTORIZED C/O SWITCH
Long Description	OTM3200E4CM230C MOTORIZED C/O SWITCH, Direct mounted handle, Open transition

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Finland (FI)

Popular Downloads

Data Sheet, Technical Information	1SCC303003C0201
Instructions and Manuals	1SCC303002M0204

Dimensions

Product Net Height	410 mm
--------------------	--------

Product Net Depth / Length	429 mm
Product Net Weight	76 kg 167.6 lb

Technical

Rated Operational Current AC-21B (I _e)	(380 ... 415 V) 3200 A (500 V) 3200 A
Conventional Free-air Thermal Current (I _{th})	q = 40 °C 3200 A
Motor Operational Voltage	220 ... 240 V AC
Handle Type	Direct mounted handle
Fourth Pole Position	Right Side
Fourth Pole Type	Switched - Simultaneous Function
Switches Operating Mechanism	Mechanism at the End of the Switch
Distance Between Phases	Standard
Position of Line Terminals	Top In - Bottom Out, Bottom In - Top Out
Operating Mode	Front operated
Mounting Type	Base mounting
Number of Poles	4
Transition Type	Open

Certificates and Declarations (Document Number)

Instructions and Manuals	1SCC303002M0204
--------------------------	-----------------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	590 mm 23.2 in
Package Level 1 Depth / Length	790 mm 31.1 in
Package Level 1 Height	510 mm 20.1 in
Package Level 1 Gross Weight	94.5 kg 208.3 lb
Package Level 1 EAN	6417019589398

Classifications

ETIM 6	EC000216 - Switch disconnecter
ETIM 7	EC000216 - Switch disconnecter
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switches → Change-over and Transfer Switches → Motorized Change-over Switches

