



## PRODUCT-DETAILS

**PR221DS-LS/I In=320 T4 320 3p**

**PR221DS-LS/I In=320 T4 320 3p**

### General Information

|                       |                                                                |
|-----------------------|----------------------------------------------------------------|
| Extended Product Type | PR221DS-LS/I In=320 T4 320 3p                                  |
| Product ID            | 1SDA054627R1                                                   |
| EAN                   | 8015644557324                                                  |
| Catalog Description   | PR221DS-LS/I In=320 T4 320 3p                                  |
| Long Description      | SOLID-STATE RELEASE THREE-POLE IN AC PR221DS-LS/I R 320 T4 320 |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644557324 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

### Dimensions

|                    |      |
|--------------------|------|
| Product Net Weight | 1 kg |
|--------------------|------|

### Container Information

|                         |         |
|-------------------------|---------|
| Package Level 1 Units   | 1 piece |
| Package Level 1 Width   | 12 mm   |
| Package Level 1 Height  | 16 mm   |
| Package Level 1 Depth / | 19 mm   |

## Length

|                              |               |
|------------------------------|---------------|
| Package Level 1 Gross Weight | 1.1 kg        |
| Package Level 1 EAN          | 8015644557324 |

**Additional Information**

|                                 |                        |
|---------------------------------|------------------------|
| Configuration Type              | Loose or configurable  |
| Number of Poles                 | 3                      |
| Product Main Type               | Accessories for Tmax T |
| Product Name                    | Accessory              |
| Product Type                    | ACC                    |
| Rated Current (I <sub>N</sub> ) | Main Circuit 320 A     |
| Release                         | PR221DS-LS/I           |
| Release Type                    | Electronic trip unit   |
| Standards                       | IEC                    |
| Suitable For                    | T4                     |
| Suitable for Product Class      | SACE Tmax T            |

**Certificates and Declarations (Document Number)**

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC210015D0201 |
| Declaration of Conformity - CE    | 1SDL000165R0001 |
| Environmental Information         | 1SDC210015D0201 |
| Instructions and Manuals          | 1SDC210015D0201 |

**Classifications**

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 7                     | EC001023 - Shunt release (for power circuit breaker)       |
| Object Classification Code | Q                                                          |
| UNSPSC                     | 39121100                                                   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

**Categories**

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

