

## PRODUCT-DETAILS

# PR222DS/PD-LSIG In=160 MODBUS T4 4p

# PR222DS/PD-LSIG In=160 MODBUS T4 4p



## General Information

|                       |                                                                     |
|-----------------------|---------------------------------------------------------------------|
| Extended Product Type | PR222DS/PD-LSIG In=160 MODBUS T4 4p                                 |
| Product ID            | 1SDA054645R1                                                        |
| EAN                   | 8015644557508                                                       |
| Catalog Description   | PR222DS/PD-LSIG In=160 MODBUS T4 4p                                 |
| Long Description      | SOLID-STATE RELEASE FOUR-POLE IN AC PR222DS/PD-LSIG R 160 MODBUS T4 |

## Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644557508 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

## Dimensions

|                    |        |
|--------------------|--------|
| Product Net Weight | 1.3 kg |
|--------------------|--------|

## Container Information

|                         |         |
|-------------------------|---------|
| Package Level 1 Units   | 1 piece |
| Package Level 1 Width   | 120 mm  |
| Package Level 1 Height  | 160 mm  |
| Package Level 1 Depth / | 190 mm  |

## Length

|                              |               |
|------------------------------|---------------|
| Package Level 1 Gross Weight | 1.4 kg        |
| Package Level 1 EAN          | 8015644557508 |

## Additional Information

|                                 |                        |
|---------------------------------|------------------------|
| Configuration Type              | Loose or configurable  |
| Number of Poles                 | 4                      |
| Product Main Type               | Accessories for Tmax T |
| Product Name                    | Accessory              |
| Product Type                    | ACC                    |
| Rated Current (I <sub>n</sub> ) | Main Circuit 160 A     |
| Release Type                    | Electronic trip unit   |
| Standards                       | IEC                    |
| Suitable For                    | T4                     |
| Suitable for Product Class      | SACE Tmax T            |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC210015D0201 |
| Declaration of Conformity - CE    | 1SDL000165R0001 |
| Environmental Information         | 1SDC210015D0201 |
| Instructions and Manuals          | 1SDC210015D0201 |
| RoHS Information                  | 1SDL000201R0001 |

## Classifications

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 6                     | EC001023 - Shunt release (for power circuit breaker)       |
| ETIM 7                     | EC001023 - Shunt release (for power circuit breaker)       |
| Object Classification Code | Q                                                          |
| UNSPSC                     | 39121100                                                   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

