



PRODUCT-DETAILS

TMA 250-1250...2500 T4 3p

TMA 250-1250...2500 T4 3p

General Information

Extended Product Type	TMA 250-1250...2500 T4 3p
Product ID	1SDA054659R1
EAN	8015644557645
Catalog Description	TMA 250-1250...2500 T4 3p
Long Description	THERMOMAGNETIC RELEASE THREE-POLE IN AC-DC TMA R 250 I3=1250...2500 A T4

Ordering

EAN	8015644557645
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.8 kg
--------------------	--------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	158 mm
Package Level 1 Height	158 mm
Package Level 1 Depth /	188 mm

Length

Package Level 1 Gross Weight	0.9 kg
Package Level 1 EAN	8015644557645

Additional Information

Configuration Type	Loose or configurable
Number of Poles	3
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	ACC
Rated Current (I _N)	Main Circuit 250 A
Release	TMA
Release Type	Thermomagnetic trip unit
Standards	IEC
Suitable For	T4
Suitable for Product Class	SACE Tmax T

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210015D0201
Declaration of Conformity - CE	1SDL000165R0001
Environmental Information	1SDC210015D0201
Instructions and Manuals	1SDC210015D0201
RoHS Information	1SDL000200R0001

Classifications

ETIM 7	EC001023 - Shunt release (for power circuit breaker)
Object Classification Code	Q
UNSPSC	39121100
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

