



## PRODUCT-DETAILS

**PR221DS-LS/I In=630 T5 630 4p**

**PR221DS-LS/I In=630 T5 630 4p**

### General Information

|                       |                                                               |
|-----------------------|---------------------------------------------------------------|
| Extended Product Type | PR221DS-LS/I In=630 T5 630 4p                                 |
| Product ID            | 1SDA055159R1                                                  |
| EAN                   | 8015644562892                                                 |
| Catalog Description   | PR221DS-LS/I In=630 T5 630 4p                                 |
| Long Description      | SOLID-STATE RELEASE FOUR-POLE IN AC PR221DS-LS/I R 630 T5 630 |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644562892 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

### Dimensions

|                    |        |
|--------------------|--------|
| Product Net Weight | 1.6 kg |
|--------------------|--------|

### Container Information

|                         |         |
|-------------------------|---------|
| Package Level 1 Units   | 1 piece |
| Package Level 1 Width   | 12 mm   |
| Package Level 1 Height  | 16 mm   |
| Package Level 1 Depth / | 19 mm   |

## Length

|                              |               |
|------------------------------|---------------|
| Package Level 1 Gross Weight | 1.7 kg        |
| Package Level 1 EAN          | 8015644562892 |

**Additional Information**

|                                 |                        |
|---------------------------------|------------------------|
| Configuration Type              | Loose or configurable  |
| Number of Poles                 | 4                      |
| Product Main Type               | Accessories for Tmax T |
| Product Name                    | Accessory              |
| Product Type                    | ACC                    |
| Rated Current (I <sub>N</sub> ) | 630 A                  |
| Release                         | PR221DS-LS/I           |
| Release Type                    | Electronic             |
| Standards                       | IEC                    |
| Suitable For                    | T5                     |
| Suitable for Product Class      | SACE Tmax T            |

**Certificates and Declarations (Document Number)**

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC210015D0201 |
| Declaration of Conformity - CE    | 1SDL000165R0001 |
| Environmental Information         | 1SDC210015D0201 |
| Instructions and Manuals          | 1SDC210015D0201 |

**Classifications**

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 6                     | EC001023 - Shunt release (for power circuit breaker)       |
| ETIM 7                     | EC001023 - Shunt release (for power circuit breaker)       |
| Object Classification Code | Q                                                          |
| UNSPSC                     | 39121100                                                   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

**Categories**

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

